



Australian Government

Assessment Requirements for CPCCCM2008 Erect and dismantle restricted height scaffolding

Release: 1

Assessment Requirements for CPCCCM2008 Erect and dismantle restricted height scaffolding

Modification History

Release 1.

Supersedes and equivalent to CPCCCM2008B Erect and dismantle restricted height scaffolding.

The unit of competency was updated to the Standards for Training Packages 2012.

This version first released with CPC Construction, Plumbing and Services Training Package Version 4.0.

Performance Evidence

A person who demonstrates competency in this unit must erect and dismantle one modular scaffolding system up to four metres, including three bays (one with a return), one lift with ladder, and fall and edge protection.

In doing this, the person must meet the performance criteria for this unit.

Knowledge Evidence

To be competent in this unit, a person must demonstrate knowledge of:

- processes for identifying and incorporating into planning for erecting and dismantling scaffolding up to 4 metres
- task and workplace-specific information, including:
 - diagrams and sketches
 - engineering design specifications and manufacturers' specifications
 - safety data sheets (SDSs)
 - regulatory and legislative requirements pertaining to erecting and dismantling restricted height scaffolding
 - relevant Australian Standards.
- safe work procedures related to erecting and dismantling restricted height scaffolding including job safety analysis (JSA) and safe work method statement (SWMS), risk control measures and equipment, including:
 - signage and barricades
 - verbal, written and graphical instructions
 - work schedules, plans and specifications
 - scaffolding and material requirements
 - expected loadings on scaffolding and supporting structures
 - site access and egress routes.
- processes for:

- selecting and checking plant, tools and equipment and rectifying or reporting faults
- establishing footings for scaffolding up to 4 metres
- erecting and dismantling scaffolding up to 4 metres in accordance with regulations, planned risk prevention and control measures, acceptable safe work practices and manufacturers' specifications
- inspecting critical structural and safety areas of scaffolding for damage, corrosion and wear
- checking current use of scaffolding for compliance with type of scaffolding equipment
- cleaning, checking, maintaining and storing plant, tools and equipment.

Assessment Conditions

Assessors must satisfy the requirements for assessors contained in the Standards for Registered Training Organisations.

Assessment of performance must be undertaken in the workplace or in a simulated workplace environment. Tasks are to be performed to the level of proficiency and within the time limits expected in a workplace.

Assessors are responsible for ensuring that the person demonstrating competency has access to:

- work sites and specifications to erect and dismantle a modular scaffolding system
- JSAs, SWMSs and jurisdictional requirements relating to erecting and dismantling a modular scaffolding system up to 4 metres
- scaffolding site
- scaffolding components and materials, safety equipment including signs, barricades and personal protective equipment (PPE)
- plant, equipment and tools
- load tables.

Links

Companion volumes to this training package are available at the VETNet website - <https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>