



Australian Government

Assessment Requirements for CPCCCO3044 Apply decorative finishes to concrete

Release: 1

Assessment Requirements for CPCCCO3044 Apply decorative finishes to concrete

Modification History

Release 1.

Supersedes and equivalent to CPCCCO3044A Carry out decorative finishes to concrete.
Minor change to title.

The unit of competency was updated to the Standards for Training Packages 2012.

This version first released with CPC Construction, Plumbing and Services Training Package Version 4.0.

Performance Evidence

To demonstrate competency in this unit, a person must apply decorative finishes to a minimum of twenty square metres of concrete, including:

- stencil finish with dry topping mix on wet concrete
- stencil finish with wet topping mix on dry concrete
- stamp finish
- exposed aggregate finish
- textured finish.

In doing this, the person must meet the performance criteria for this unit.

Knowledge Evidence

To be competent in this unit, a person must demonstrate knowledge of:

- jurisdictional work health and safety (WHS) and environmental legislation and regulations relating to applying decorative finishes to concrete, including:
 - job safety analyses (JSAs)
 - safe work method statements (SWMSs)
 - safety data sheets (SDSs)
 - safety manuals and instructions for plant, tools and equipment
 - signage and barricades
 - personal protective equipment (PPE)
 - environmental and work site safety plans
- requirements of Australian Standards and the National Construction Code (NCC) relating to applying decorative finishes to concrete
- workplace requirements for undertaking all aspects of applying decorative finishes to concrete, including interpreting work orders and reporting problems using general construction terminology applicable to work tasks

- processes for interpreting manufacturers' specifications relating to applying decorative finishes to concrete
- interpreting task plans and specifications for applying decorative finishes to concrete, including use of signage and barricades and calculation of material quantity and quality requirements
- types, characteristics, uses and limitations of plant, tools and equipment used for applying decorative finishes to concrete
- processes, equipment, tools and materials for:
 - planning and preparing to apply decorative finishes to concrete
 - applying stencil finishes with dry topping mix on wet concrete
 - applying stencil finishes with wet topping mix on dry concrete
 - applying stamp finishes
 - applying exposed aggregate finishes
 - applying textured finishes
 - cleaning up after applying decorative finishes to concrete
- materials and equipment storage and maintenance, and environmentally friendly waste management.

Assessment Conditions

Assessors must satisfy the requirements for assessors contained in the Standards for Registered Training Organisations.

Assessment of performance must be undertaken in the workplace or in a simulated workplace environment. Tasks are to be performed to the level of proficiency and within the time limits expected in a workplace.

Assessors are responsible for ensuring that the person demonstrating competency has access to:

- work sites and specifications to apply decorative finishes to concrete
- appropriate documents, materials, tools, equipment and PPE currently used in industry
- requirements of appropriate sections of legislation and regulations
- relevant workplace policies and procedures.

Links

Companion volumes to this training package are available at the VETNet website -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>