



Australian Government

Assessment Requirements for CPCCPD3029 Remove graffiti and apply anti-graffiti coatings

Release: 3

Assessment Requirements for CPCCPD3029 Remove graffiti and apply anti-graffiti coatings

Modification History

- Release 3 Updated reference to general construction induction training program.
- Release 2 This version first released with CPC Construction, Plumbing and Services Training Package Release 6.4.
- Correction to Training Package title in the Modification History from CPC Property Services to CPC Construction, Plumbing and Services Training Package.
- Release 1 This version first released with CPC Property Services Training Package Release 5.0.
- Supersedes and is equivalent to CPCCPD3029A Remove graffiti and apply protective coatings. Updated to meet the Standards for Training Packages 2012.

Performance Evidence

To demonstrate competency, a candidate must meet the performance criteria of this unit by:

- removing graffiti using two approved removal methods, from two different substrates, each at least two square metres
- preparing and applying one sacrificial anti-graffiti coating on a masonry surface of at least two square metres
- preparing and applying one two-pack non-sacrificial anti-graffiti coating on a metal surface of at least two square metres.

All work must be performed to the standard required in the workplace and must meet the requirements of work health and safety (WHS), Commonwealth and state or territory legislation, manufacturers' specifications, and environmental plans and obligations.

Knowledge Evidence

To be competent in this unit, a candidate must demonstrate knowledge of:

- safety requirements relevant to removing graffiti and applying anti-graffiti coatings
- environmental requirements relevant to removing graffiti and applying anti-graffiti coatings
- storm water protection systems
- safe use of tools and equipment relevant to removing graffiti and applying anti-graffiti coatings

- types, properties, uses and limitations of sacrificial and non-sacrificial preventative coatings
- types, characteristics, uses and limitations of tools and equipment relevant to removing graffiti and applying anti-graffiti coatings
- types and properties of commonly used materials used by graffiti artists
- types, characteristics, uses and limitations of graffiti removal materials
- types, uses, limitations and operating techniques for graffiti removal equipment
- sacrificial and non-sacrificial anti-graffiti material technologies and applications
- surface preparation techniques for anti-graffiti coatings
- manufacturers' specifications relevant to removing graffiti and applying anti-graffiti coatings
- processes for the calculation of material requirements relevant to removing graffiti and applying anti-graffiti coatings
- quality requirements relevant to removing graffiti and applying anti-graffiti coatings.

Assessment Conditions

Assessors must meet the requirements for assessors contained in the Standards for Registered Training Organisations.

This unit must be assessed:

- in the workplace or a close simulation of the workplace environment, provided that simulated or project-based assessment techniques replicate construction workplace conditions, materials, activities, responsibilities and procedures.
- using realistic tasks or simulated tasks, relevant specifications and work instructions, standard work practices, safety requirements and environmental constraints.

Links

Companion volumes to this training package are available at the VETNet website - <https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>