



Australian Government

Assessment Requirements for CPCCWP5004 Determine origin of water and moisture ingress into buildings

Release: 1

Assessment Requirements for CPCCWP5004 Determine origin of water and moisture ingress into buildings

Modification History

Release 1 This version first released with CPC Construction, Plumbing and Services Training Package Release 9.0.
Newly created unit.

Performance Evidence

A person demonstrating competency in this unit must satisfy the requirements of the elements, performance criteria and foundation skills of this unit, in addition to the specific performance and knowledge evidence described below.

Candidates must conduct three (3) water and moisture ingress investigations and develop diagnostic reports for three (3) different areas, chosen from list provided:

- one investigation and report from an internal wet area which includes a shower
- one investigation and report of water ingress through:
 - an external wall, adjacent to a waterproofed balcony or deck; OR
 - water ingress below a concrete roof terrace
- one investigation and report of water ingress below a waterproofed, lightweight, flat roof structure or balcony
- one investigation and report of water ingress to habitable space below ground.

In doing so, the diagnosis and evidence reports must be written in such a way as to inform a remedial waterproofing design and scope of works and must include:

- all relevant background information
- investigation methodology
- record of findings
- identification of the cause(s) of the water and moisture ingress
- review of evidence against site factors and influences
- assessment of waterproofing design and application against compliance with National Construction Code (NCC) performance requirements, Australian Standards, manufacturers' recommendations, building design and use of area.

Knowledge Evidence

To be competent in this unit, a candidate must demonstrate knowledge of:

- application of scientific methodology
- diagnostic procedures – non-destructive and destructive, including:

- site investigation
- inspecting protocols
- analysing evidence
- suitable technologies:
 - thermal
 - microwave
 - ground penetrating radar (GPR)
 - dye water testing
 - impedance and capacitance technologies
 - electronic field vector mapping
 - high and low voltage holiday testing
- setting control parameters and testing methods, including:
 - selection of appropriate test method
 - calibration of testing equipment
 - effects on testing equipment by site conditions and testing procedures
- contributing site factors and influence, including:
 - water ingress sources
 - surface water pathways
 - sub-surface water pathways
 - properties of water and moisture movement
 - gradient and falls
 - hydrostatic pressure
 - effects of finishes on surface tension
 - capillarity
 - size and effectiveness of outfalls
 - penetrations and intrusion points
 - condensation
 - ventilation
- building elements and integration, including:
 - principles of water shedding
 - relationship between structural components
 - building movement
 - wind loadings
 - construction materials and their properties
- NCC performance requirements relevant to areas tested, including:
 - waterproofing
 - damp proofing
 - condensation management
- NCC evidence of suitability in relation to waterproofing system performance, including:
 - independent test reports

- CodeMark Australia
- other independent testing organisations
- Australian Standards and design requirements relevant to areas inspected
- waterproofing system manufacturers' requirements, including:
 - data sheets and specifications
 - installation method statements
 - performance of system according to service conditions
 - suitability of materials as fit for purpose
 - compatibility of components within the system
- stakeholders:
 - architect
 - engineer
 - builder
 - building owner
 - consumer
 - design team
 - construction team
 - certifier
 - building surveyor
 - regulators
- report content and communication of findings, including:
 - types of diagnostic reports and structures
 - tables and diagrams
 - photographic evidence
 - interpreting test results
 - references to Australian Standards and designs
 - verbal communication strategies
 - different audiences
 - presenting evidence.

Assessment Conditions

Assessors must meet the requirements for assessors contained in the Standards for Registered Training Organisations.

Assessment of performance must be undertaken in the workplace or simulated workplace environment. A simulated workplace is one that fully replicates the resources, environment and any time and productivity pressures that exist in the actual workplace, and which meets industry standards for safety and environmental practices.

Candidates must have access to:

- relevant tasks

- Australian Standards, relevant building legislation, industry codes, NCC and requirements of workplace policies and procedures as required by Commonwealth, state and territory regulators
- relevant environmental requirements.

Links

Companion volumes to this training package are available at the VETNet website -
<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>