



Australian Government

Assessment Requirements for CPCSHP3003 Assemble and install shopfront structures

Release: 2

Assessment Requirements for CPCSH3003 Assemble and install shopfront structures

Modification History

- | | |
|-----------|--|
| Release 2 | Updated reference to general construction induction training program. |
| Release 1 | This version first released with CPC Construction, Plumbing and Services Training Package Release 5.0

Supersedes and is equivalent to CPCCSH3003 Assemble and install shopfront structures. |

Performance Evidence

To demonstrate competency, a candidate must meet the performance criteria of this unit by assembling and installing one shopfront structure, incorporating a bulkhead and an opening for a roller, pivot or concertina doors, with a minimum overall height of 3.0 metres and a minimum width of 3.6 metres.

In doing this, the candidate must:

- schedule shopfront work to accommodate client requirements and minimise disruption to the business operations
- maintain public safety during the use of mobile scaffold, elevated work platform, power tools and equipment.

Knowledge Evidence

To be competent in this unit, a candidate must demonstrate knowledge of:

- shopfront regulations, codes and standards, in particular:
 - Australian Standard (AS) 2047 Windows and external glazed doors in buildings
 - AS 1288 Glass in buildings
- organisation's quality assurance requirements relating to the assembling and installing of shopfront structures
- sustainable shopfitting practices
- key features of working drawings and specifications
- workplace processes and procedures and environmental requirements
- characteristics, applications and limitations of materials used in shopfront structures:
 - acrylic
 - glass
 - aluminium

- laminates
- manufactured board
- solid timber
- workplace safety:
 - hierarchy of control
 - job safety and environmental analysis (JSEA)
 - safe work method statements (SWMSs)
 - safety data sheets (SDSs)
 - hazardous manual tasks
 - exposure to excessive noise
 - exposure to dust
 - electrical safety
 - emergency procedures (evacuation, location and use of firefighting equipment, first aid)
 - safety of public, visitors and others in the workplace
- processes and techniques for assembling and installing shopfront structures and fixings
- functional and operational features of hand and power tools and equipment:
 - air compressor and hoses
 - grinders
 - levelling equipment, including spirit levels
 - lifting plant
 - nail guns
 - planers
 - circular saws
 - jig saws
 - power drills
 - power leads
 - battery operated tools
 - hand saws, block plane.

Assessment Conditions

Assessors must meet the requirements for assessors contained in the Standards for Registered Training Organisations.

Assessment must be conducted in the workplace or a simulated workplace using realistic conditions, materials, activities, responsibilities, procedures, safety requirements and environmental considerations.

Candidates must have access to:

- relevant shopfront regulations, codes and Australian Standards
- current workplace safety and environmental documentation

- shopfront drawings and specifications, organisational policies, procedures and equipment to undertake the performance criteria and assessment requirements.

Links

Companion volumes to this training package are available at the VETNet website -
<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>