



Australian Government

Assessment Requirements for CPCSHP3010 Prepare shop floors for new coverings

Release: 3

Assessment Requirements for CPCSH3010 Prepare shop floors for new coverings

Modification History

- Release 3 Updated reference to general construction induction training program.
- Release 2 This version first released with CPC Construction, Plumbing and Services Training Package Release 5.1.
Minor edits to formatting.
- Release 1 This version first released with CPC Construction, Plumbing and Services Training Package Release 5.0
Supersedes and is equivalent to CPCSH3010 Prepare shop floors for new coverings.

Performance Evidence

To demonstrate competency, a candidate must meet the performance criteria of this unit by removing four different types of shop floor coverings and preparing the existing surface for a new covering. Each area must be a minimum of 10 square metres.

In doing this, the candidate must:

- remove three of the following surfaces once:
 - carpet tiles
 - vinyl tiles
 - resilient tiles
 - adhesive bonded carpet
 - parquetry with hard underlay
 - floating engineered floor
- clear and clean the exposed surface
- mix and test compounds for suitability and compatibility
- apply primers, and cementitious and levelling compounds to patch and smooth the existing surface.

Knowledge Evidence

To be competent in this unit, a candidate must demonstrate knowledge of:

- shopfitting regulations, codes and standards, in particular:
 - Australian Standard (AS) 2455.1 Textile floor coverings – Installation practice General

- AS 1884 Floor coverings – Resilient sheet and tiles – Installation practices
- organisation's quality assurance requirements relating to shop floor preparation
- sustainable shopfitting practices
- procedures and techniques for removing existing floor coverings and preparing shop floors for new covering:
 - types and methods of fixing various floor coverings
 - identifying and resolving relevant problems relating to floor preparation
- environmental protection requirements relevant to preparing shop floors for new coverings
- functional and operational features of tools and equipment:
 - vacuum cleaners
 - vinyl tile lifter
 - mixing drills
 - hand and power tools
 - battery operated tools
- characteristics, applications and limitations of materials and products used for floor preparation:
 - smoothing compounds
 - levelling compounds
 - bulk fillers
 - repair/patching compounds
 - binding agents
 - mineral compounds
- workplace safety:
 - job safety and environmental analysis (JSEA)
 - safe work method statements (SWMSs)
 - hierarchy of control
 - safety data sheets (SDSs)
 - hazardous manual tasks
 - exposure to excessive noise
 - removal of asbestos
 - exposure to dust
 - hazardous chemicals and substances
 - electrical safety
 - emergency procedures (evacuation, location and use of firefighting equipment, first aid)
 - safety of public, visitors and others in the workplace.

Assessment Conditions

Assessors must meet the requirements for assessors contained in the Standards for Registered Training Organisations.

Assessment must be conducted in the workplace or a simulated workplace using realistic conditions, materials, activities, responsibilities, procedures, safety requirements and environmental considerations.

Candidates must have access to:

- relevant shopfitting regulations, codes and Australian Standards
- current workplace procedures, workplace safety and environmental documentation relating to shop floor preparation
- shopfitting drawings and specifications, organisational policies, procedures and equipment to undertake the performance criteria and assessment requirements
- digital technology, devices and software to communicate with others and to develop and save documents electronically.

Links

Companion volumes to this training package are available at the VETNet website - <https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>