



Australian Government

Department of Education, Employment and Workplace Relations

CPCCDO3001A Perform dogging

Release: 1

CPCCDO3001A Perform dogging

Modification History

Not applicable.

Unit Descriptor

This unit of competency specifies the outcomes required to undertake basic dogging work, both in sight and out of sight of the crane operator, for the purpose of shifting loads mechanically.

The unit includes selecting sling types and sizes and maintaining the stability of the load. This unit of competency specifies the outcomes required to undertake basic dogging work, both in sight and out of sight of the crane operator, for the purpose of shifting loads mechanically.

The unit includes selecting sling types and sizes and maintaining the stability of the load.

Application of the Unit

This unit of competency supports the attainment of the understanding and skills to use dogging tools and equipment, which may include working with others and as a member of a team.

This unit of competency supports the attainment of the understanding and skills to use dogging tools and equipment, which may include working with others and as a member of a team.

Licensing/Regulatory Information

Not applicable.

Pre-Requisites

CPCCOHS1001A

Work safely in the
construction industry

Employability Skills Information

This unit contains employability skills.

This unit contains employability skills.

Elements and Performance Criteria Pre-Content

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Elements and Performance Criteria

Elements and Performance Criteria

Element	Performance Criteria
1 Plan and prepare.	1.1 Work instructions and operational details are obtained using relevant information , confirmed and applied for planning and preparation purposes. 1.2 Safety (OHS) requirements are followed in accordance with safety plans and policies. 1.3 Signage and barricade requirements are identified and implemented. 1.4 Tools and equipment selected to carry out tasks are consistent with the requirements of the job, checked for serviceability and any faults are rectified or reported prior to commencement. 1.5 Materials quantity requirements are calculated in accordance with plans, specifications and quality requirements . 1.6 Materials appropriate to the work application are identified, obtained, prepared, safely handled and located ready for use.

- 1.7 **Environmental requirements** are identified for the project in accordance with environmental plans and regulatory obligations and applied.
- 2 Select dogging equipment.
 - 2.1 Resources, materials and equipment are selected and inspected for compliance with job specifications.
 - 2.2 Job sequencing schedule is communicated with team members and others to ensure coordination.
 - 2.3 Load mass is **calculated** and confirmed using load charts and standard calculations.
 - 2.4 Loads in **slings** and equipment are calculated to suit job requirements.
- 3 Sling loads.
 - 3.1 **Lifting devices** are assembled and erected for the movement of load.
 - 3.2 Using appropriate **load slinging method** , loads are slung to **crane** ready for lifting.
- 4 Shift loads.
 - 4.1 Loads are shifted ensuring stability and in compliance with work method statement.
 - 4.2 Load is directed to landing position using communications in compliance with Australian standards and recognised work practices.
 - 4.3 Load is landed in required position on packing or bearers.
- 5 Remove dogging equipment.
 - 5.1 Load shifting equipment is dismantled and inspected for wear.
 - 5.2 Logbook and site records are completed to company requirements.
- 6 Clean up.
 - 6.1 Work area is cleared and materials disposed of, reused or recycled in accordance with legislation, regulations, codes of practice and job specification.
 - 6.2 Tools and equipment are cleaned, checked, maintained and stored in accordance with manufacturer recommendations and standard work practices.
 - 6.3 Work completion procedures are applied and

relevant personnel notified that work is finished.

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

Required skills for this unit are:

communication skills to:

evaluating own actions and making judgments about performance and necessary improvements

identifying and accurately reporting to appropriate personnel any faults in tools, equipment or materials

organisational skills, including the ability to plan and set out work

recognising procedures, following instructions, responding to change and contributing to workplace responsibilities, such as current work site environmental and sustainability frameworks or management systems

teamwork skills to coordinate own work with others to action tasks and relate to people from a range of cultural and ethnic backgrounds and with varying physical and mental abilities

technological skills to:

determine requirements

enable clear and direct communication, using questioning to identify and confirm requirements, share information, listen and understand

follow instructions

read and interpret:

report faults

use language and concepts appropriate to cultural differences

use and interpret non-verbal communication, such as hand signals

documentation from a variety of sources

drawings and specifications

use a range of mobile technology, such as two-way radio and mobile phones

voice and hand signals to access and understand site-specific instructions.

Required knowledge

Required knowledge for this unit is:

crane operations and limitations

designs and functions of lifting equipment

dogging equipment
dogging techniques
elevated work platforms
general construction terminology
job safety analysis (JSA) and safe work method statements
logbooks
material safety data sheets (MSDS)
materials storage and environmentally friendly waste management
plans, drawings and specifications
processes for the calculation of material requirements
quality requirements
relevant Acts, regulations and codes of practice
safe working at heights and fall arrest
safe working load tags
signalling methods and communications
types, characteristics, uses and limitations of plant, tools and equipment
weather and ground considerations
workplace and equipment safety requirements.

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment

This unit of competency could be assessed in the workplace or a close simulation of the workplace environment, provided that simulated or project-based assessment techniques fully replicate construction workplace conditions, materials, activities, responsibilities and procedures.

Critical aspects for assessment and evidence required to demonstrate competency in this unit

A person who demonstrates competency in this unit must be able to provide evidence of the ability to:

- locate, interpret and apply relevant information, standards and specifications

- comply with site safety plan and OHS legislation, regulations and codes of practice applicable to workplace operations

- comply with organisational policies and procedures including quality requirements

- safely and effectively operate and use tools, plant and equipment

- communicate and work effectively and safely with others

- as a minimum, read tags, sling, load, direct and land loads in conjunction with a slewing mobile crane with a telescopic boom and a winch, out of sight for:

 - rigid heavy loads to two thirds capacity of the crane

 - luff movements, boom retract and boom extend, slew right and slew left, winch up and down in combination

 - a flexible load with a minimum of three lifting points

 - using hand signals and whistle from minimum radius to maximum radius.

Context of and specific resources for assessment

This competency is to be assessed using standard and authorised work practices, safety requirements and environmental constraints.

Assessment of essential underpinning knowledge will usually be conducted in an off-site context.

Assessment is to comply with relevant regulatory or Australian standards' requirements.

Resource implications for assessment include:

an induction procedure and requirement

realistic tasks or simulated tasks covering the mandatory task requirements

relevant specifications and work instructions

tools and equipment appropriate to applying safe work practices

support materials appropriate to activity

workplace instructions relating to safe work practices and addressing hazards and emergencies

material safety data sheets

research resources, including industry related systems information.

Reasonable adjustments for people with disabilities must be made to assessment processes where required. This could include access to modified equipment and other physical resources, and the provision of appropriate assessment support.

Method of assessment

Assessment methods must:

satisfy the endorsed Assessment Guidelines of the Construction, Plumbing and Services Integrated Framework Training Package

include direct observation of tasks in real or simulated work conditions, with questioning to confirm the ability to consistently identify and correctly interpret the essential underpinning knowledge required for

practical application

reinforce the integration of employability skills with workplace tasks and job roles

confirm that competency is verified and able to be transferred to other circumstances and environments.

Validity and sufficiency of evidence requires that:

competency will need to be demonstrated over a period of time reflecting the scope of the role and the practical requirements of the workplace

where the assessment is part of a structured learning experience the evidence collected must relate to a number of performances assessed at different points in time and separated by further learning and practice, with a decision on competency only taken at the point when the assessor has complete confidence in the person's demonstrated ability and applied knowledge

all assessment that is part of a structured learning experience must include a combination of direct, indirect and supplementary evidence.

Assessment processes and techniques should as far as is practical take into account the language, literacy and numeracy capacity of the candidate in relation to the competency being assessed.

Supplementary evidence of competency may be obtained from relevant authenticated documentation from third parties, such as existing supervisors, team leaders or specialist training staff.

Range Statement

RANGE STATEMENT

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Information includes:

diagrams or sketches
 instructions issued by authorised organisational or external personnel
 manufacturer specifications and instructions, where specified
 MSDS
 memos
 regulatory and legislative requirements pertaining to performing dogging
 relevant Australian standards
 safe work procedures relating to performing dogging
 signage
 verbal, written and graphical instructions
 work bulletins
 work schedules, plans and specifications.

Planning and preparation include:

assessment of conditions and hazards
 determination of work requirements and safety plans and policies
 equipment defect identification
 work site inspection.

Safety (OHS) is to be in accordance with state and territory legislation and regulations and project safety plan and may include:

emergency procedures, including extinguishing fires, organisational first aid requirements and evacuation
 handling activities that may require the assistance of others or the use of manual or mechanical lifting devices where size, weight or other issues, such as a disability are a factor

hazard control
hazardous materials and substances
organisational first aid
PPE prescribed under legislation, regulations
and workplace policies and practices
safe operating procedures, including the
conduct of operational risk assessment and
treatments associated with:
use of firefighting equipment
use of tools and equipment
workplace environmental requirements and
safety.
earth leakage boxes
lighting
power cables, including overhead service
trays, cables and conduits
restricted access barriers
surrounding structures
traffic control
trip hazards
work site visitors and the public
working at heights
working in confined spaces
working in proximity to others

Tools and equipment include:

brick cages
kibbles
personnel cages
rescue cages
rubbish bins
spreader bars and beams.

Quality requirements include:

internal company quality policy and
standards
manufacturer specifications, where specified
relevant regulations, including Australian
standards

	workplace operations and procedures.
Environmental requirements include:	clean-up management noise vibration waste management.
Calculations include:	delivery dockets load charts load share pre-cast compliance charts safe working loads standard calculations.
Slings include:	chain flexible steel wire rope natural or synthetic fibre.
Lifting devices :	include: may include: eye bolts lifting clutches shackles snatch blocks tags collared eye bolts equalizing sheaves lifting lugs rigging screws turn buckles.
Load slinging methods include:	straight sling adjustable sling reeved sling inclined sling.
Cranes include:	fixed cranes hydraulic mobile cranes

lattice boom mobile cranes
slewing cranes
tower cranes.

Unit Sector(s)

Construction
Construction

Functional Area

empty
empt