



**Australian Government**

# **DEFEXO066 Inspect explosive facilities**

**Release: 2**

# DEFEXO066 Inspect explosive facilities

## Modification History

Release 2. Modifications made to Foundation Skills and Assessment Conditions.

Release 1. This unit was released in DEF Defence Training Package release 1.0 and meets the Standards for Training Packages.

This unit supersedes and is equivalent to DEFEO207C Inspect explosive facilities.

- Unit code updated
- Content and formatting updated to comply with the new standards
- All PC transitioned from passive to active voice
- PC 1.4, 2.4 and 3.1 removed
- PC 2.1 & 2.2 merged
- Element 1 reworded and one new PC

## Application

This unit describes the skills required to prepare, conduct and follow up the formal inspection of explosive facilities. Explosive facility inspections apply to all potential explosion sites and are part of the quality and safety control processes.

This unit applies to those required to prepare, conduct and follow up the formal inspection of explosive facilities.

The skills and knowledge described in this unit must be applied within the legislative, regulatory and policy environment in which they are carried out. Organisational policies and procedures must be consulted and adhered to.

Those undertaking this unit would work independently and as part of a team, under indirect supervision, use discretion and judgement, and take responsibility for the quality of their output. They would perform routine tasks in a range of contexts.

No licensing, legislative or certification requirements apply to unit at the time of publication.

## Pre-requisite Unit

Not applicable.

## Competency Field

Explosive Ordnance

## Unit Sector

Not applicable.

## Elements and Performance Criteria

### ELEMENTS

Elements describe the essential outcomes.

### PERFORMANCE CRITERIA

Performance criteria describe the performance needed to demonstrate achievement of the element.

- |                                               |                                                                                                        |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>1 Prepare for inspection</b>               | <b>1.1</b> Identify, and confirm explosive facility to be inspected                                    |
|                                               | <b>1.2</b> Identify and assemble documentation related to the facility                                 |
|                                               | <b>1.3</b> Liaise with relevant personnel                                                              |
|                                               | <b>1.4</b> Review previous inspection and maintenance history documentation                            |
| <b>2 Conduct inspection</b>                   | <b>2.1</b> Confirm adherence to security, safety and licensing requirements applicable to the facility |
|                                               | <b>2.2</b> Confirm adherence to maintenance and housekeeping standards                                 |
| <b>3 Carry out post inspection procedures</b> | <b>3.1</b> Identify and report non-compliances                                                         |
|                                               | <b>3.2</b> Brief relevant personnel on non-compliances                                                 |
|                                               | <b>3.3</b> Maintain documentation, records and reports related to the inspection                       |

## Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

## Range of Conditions

Range is restricted to essential operating conditions and any other variables essential to the work environment.

Non-essential conditions may be found in the Companion Volume Implementation Guide.

## Unit Mapping Information

This unit supersedes and is equivalent to DEFEO207C Inspect explosive facilities.

## Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=6bdbab1e-11ed-4bc9-9cba-9e1a55d4e4a9>