



Australian Government

Assessment Requirements for MARA024 Manage vessel stability

Release: 2

Assessment Requirements for MARA024 Manage vessel stability

Modification History

Release 2. This is the second release of this unit of competency in the MAR Maritime Training Package.

- Minor statement changes in unit Application
- Minor grammatical change in Performance Criteria 2.1
- Minor statement changes in Performance Evidence
- Minor statement changes in Knowledge Evidence.

Release 1. This is the first release of this unit of competency in the MAR Maritime Training Package.

Performance Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy all of the requirements of the elements and performance criteria on at least one occasion and include:

- carrying out basic calculations associated with maintaining vessel stability which must include:
 - dock water and freshwater allowance
 - draft
 - final height of the centre of gravity (CG) above the keel of a vessel
 - final position of the longitudinal centre of gravity (LCG)
 - free surface effect and vertical distance between keel and CG adjusted for free surface effect (CGf)
 - metacentric height (GM) and GM adjusted for free surface effect (GMf)
 - righting moments
 - trim
- checking calculations to ensure correlation against stability book data
- maintaining stability management record keeping in accordance with organisational procedures
- managing loading and weight distribution of vessel to ensure assigned load line conditions are not exceeded.

Knowledge Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy all of the requirements of the elements and performance criteria and include knowledge of:

- bilging and permeability
- calculations associated with vessel stability including:

- centroids and CG
- change of draught and trim (MCT)
- density and specific gravity
- dock water and freshwater allowance
- draft calculations
- free surface effect and vertical distance between keel and CG adjusted for free surface effect (CGf)
- forces and moments calculations
- longitudinal centre of gravity (LCG)
- metacentric height (GM) and GM adjusted for free surface effect (GMf)
- righting moments
- stress calculations
- tonnes per centimetre (TPC) immersion
- trim calculations including use of trim and stress tables
- conditions of stable, neutral and unstable equilibrium and effects of disturbing vessel from upright
- construction features and stress characteristics for vessels
- effects of free surface of liquids
- emergencies including:
 - adverse weather and water conditions
 - any other emergency identified by risk assessment that may affect stability
 - cargo shift
 - damaged hull
 - flooding of cargo spaces
- factors that affect the rolling period of vessel
- loading and discharging weights
- loading limits including:
 - not exceeding allowable passenger carrying capacity and distribution
 - not exceeding cargo carrying capacity of the vessel
 - the effect of fuel, freshwater and ballast on cargo carrying capacity
- maintenance of stability during firefighting operations
- principal stresses that act on the structure of a vessel
- principles of vessel stability
- problems affecting vessel stability
- relationship between light displacement, loaded displacement and deadweight tonnage
- stability curves
- stability management record management including:
 - information contained in stability data books
- stability of vessel in a range of conditions
- stability terms and definitions
- steps involved in bringing an unstable vessel to a stable condition

- transverse and longitudinal dynamics
- work health and safety (WHS)/occupational health and safety (OHS) requirements and work practices.

Assessment Conditions

Assessors must satisfy applicable regulatory requirements, which include requirements in the Standards for Registered Training Organisations current at the time of assessment.

As a minimum, assessment must satisfy applicable regulatory requirements, which include requirements in the Standards for Registered Training Organisations current at the time of assessment.

Assessment processes and techniques must be appropriate to the language, literacy and numeracy requirements of the work being performed and the needs of the candidate.

Practical assessment must occur in a workplace, or realistic simulated workplace, under the normal range of workplace conditions.

Simulations and scenarios may be used where situations cannot be provided in the workplace or may occur only rarely, in particular for situations relating to emergency procedures and adverse weather conditions where assessment would be unsafe, impractical or may lead to environmental damage.

Resources for assessment must include access to:

- applicable documentation, such as legislation, regulations, codes of practice, safety management system (SMS), vessel stability books, workplace procedures and operational manuals
- tools, equipment, machinery, materials and personal protective equipment (PPE) currently used in industry.

Links

Companion Volume Implementation Guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=772efb7b-4cce-47fe-9bbd-ee3b1d1eb4c2>