



Australian Government

Assessment Requirements for MEAMEC0060 Repair and overhaul aircraft hydraulic system components

Release: 1

Assessment Requirements for MEAMEC0060 Repair and overhaul aircraft hydraulic system components

Modification History

Release 1. Unit title and code changed. Application changed. Performance Criteria changed. Foundation Skills made explicit. Range of Conditions removed, and relevant information moved to Assessment Requirements. Assessment Requirements clarified. Supersedes and is equivalent to MEA380 Repair and/or overhaul aircraft hydraulic system components.

Performance Evidence

There must be evidence the candidate has completed all the tasks outlined in the elements and performance criteria of this unit, and demonstrated the ability to:

- repair or overhaul at least one component from each of the following groups:
 - valves, pumps, motors, actuators, regulators, struts/oleos and brake units
 - accumulators, filters and reservoirs
 - rigid and flexible pipelines, hoses and fittings
- during the above work, or separately, demonstrate the following repair processes:
 - finish or re-finish metal surfaces through processes
 - remove corrosion within maintenance manual limits
 - replace seals and backing rings
 - replace bearings
 - apply surface treatments
 - restore paint finishes.

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- how to obtain relevant material safety data sheets (MSDSs)
- the correct use of personal protective equipment (PPE)
- work health and safety (WHS) procedures
- fault diagnosis techniques
- system and component operation
- repair and overhaul procedures and processes
- hydraulic test rigs and their operation
- compressed air and nitrogen charging equipment.

Assessment Conditions

The following conditions of assessment represent the requirements of the regulators Defence Aviation Safety Authority (DASA) and Civil Aviation Safety Authority (CASA) and maintenance stakeholders and must be rigorously observed.

Skills must have been demonstrated under routine supervision in the workplace or in a simulated environment that reflects workplace conditions and contingencies encountered in repairing and overhauling aircraft hydraulic system components. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - workplace procedures, manufacturing specifications, codes, standards, manuals, and reference materials relevant to repairing and overhauling aircraft hydraulic system components
 - components, tools and equipment specified in maintenance documentation.
 - general-purpose tools and test equipment found in most routine situations.

The work plan should take account of applicable safety and quality requirements in accordance with the industry and regulatory standards.

Evidence of tasks demonstrating competency must be recorded in a log of industrial experience and achievement.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=ce216c9c-04d5-4b3b-9bcf-4e81d0950371>