



Australian Government

Assessment Requirements for MSFDG3001 Protect leadlight and stained glass

Release: 1

Assessment Requirements for MSFDG3001 Protect leadlight and stained glass

Modification History

Release 1. Supersedes and is equivalent to MSFSL3002 Protect stained glass and leadlighting.

Performance Evidence

There must be evidence the candidate has completed the tasks outlined in the elements and performance criteria of this unit, and:

- protected 2 different leadlight and stained glass components in-situ using at least 2 different methods and/or techniques.
-

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- state or territory work health and safety legislation, regulations, standards and codes of practice relevant to the full range of processes for leadlight and stained glass operations
- leadlight and stained glass protection terminology and techniques
- organisational and site standards, requirements, policies and procedures for the protection of leadlight and stained glass
- types of glass and other materials used in the leadlight and stained glass industry, their characteristics, properties, uses and limitations
- protection methods, their properties, uses and limitations
- characteristics and properties of materials used in the protection of leadlight and stained glass
- environmental protection requirements relating to the disposal of waste material
- problem identification and resolution
- procedures for the recording, reporting and maintenance of workplace records and information
- mathematical procedures for estimation and measurement.
-

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - stained glass and leadlight for protection
 - tools and equipment to complete tasks in the Performance Evidence

- workplace procedures.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>