



Australian Government

Assessment Requirements for MSFFL3118 Install sprung timber flooring

Release: 1

Assessment Requirements for MSFFL3118 Install sprung timber flooring

Modification History

Release 1. New unit.

Performance Evidence

There must be evidence the candidate has completed the tasks in the elements and performance criteria of this unit of competency and has demonstrated the ability to install according to job instructions one type of sprung timber sports floor as part of a team, demonstrating at least 20 m² as the lead installer for the subfloor system and flooring installation.

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- manufacturer installation instructions for sprung timber flooring including:
 - strip tongue and groove
 - parquetry floating floors
 - manufactured engineered flooring used for indoor sporting applications
- manufacturer installation instructions for rubber and neoprene underfloor pads
- manufacturer use instructions for sprung timber flooring adhesives including:
 - polyvinyl alcohol (PVA)
 - polyurethane elastomeric
- the safe and correct use of, and maintenance requirements for tools and equipment for, installing sprung timber flooring
- the most common issues that can arise when installing sprung timber flooring and how to avoid and respond to them
- workplace policies and procedures relevant to their job role and responsibilities including for:
 - installing sprung timber flooring
 - communication and reporting
 - environmental protection and sustainability, including maximising resource utilisation and minimising waste
 - quality indicators for completed work and process improvements
 - work health and safety, including the use of personal protective equipment and safety data sheets
 - work planning
- how to identify if a subfloor is suitable for installing sprung timber flooring
- how to identify if sprung timber flooring is installed correctly.

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - locations in which to install sprung timber flooring
 - sprung timber flooring and other materials required by job instructions
 - equipment and tools required for the activities set out in the elements and performance criteria, including those to control hazards
 - job instructions and workplace procedures.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

Companion Volume Implementation Guides are found in VETNet – -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>