



Australian Government

Assessment Requirements for MSF GG3035 Install mirrors and glass splashbacks

Release: 1

Assessment Requirements for MSF GG3035 Install mirrors and glass splashbacks

Modification History

Release 1. Supersedes and is not equivalent to MSF GG3021 Prepare and install mirrors.

Performance Evidence

There must be evidence the candidate has completed the tasks outlined in the elements and performance criteria of this unit, and:

- installed the following in accordance with work, safety and Australian Standards requirements where installations either individually or cumulatively require both adhesive and mechanical fixing:
 - 1 framed mirror
 - 1 frameless mirror
 - 1 glass splashback with at least 1 power outlet
 - 1 mirror wardrobe
 - 1 mirror or glass splashback return.

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- Australian Standards, their purpose and key provisions:
 - AS/NZS 4667
- regulation relating to proximity of glass products to kitchen appliances
- mathematical procedures for estimation and measurement
- organisational customer communication standards and protocols
- types, characteristics and uses of mirror and glass splashback products and associated hardware:
 - framed
 - frameless
 - return
 - wall
 - safety and security (mirrors)
 - tinted (mirrors)
- mirror and glass splashback installation:
 - workplace safety system requirements
 - work flow requirements
 - site characteristics that may impact installation and how to respond

- installation techniques, the types of problems that may occur and how to avoid and respond
- fabrication methods for different products and how this impacts installation
- considerations for selection of fixing methods
- basic fabrication techniques for on-site product adjustments
- quality assurance
- types, characteristics, safe use, maintenance and limitations of installation tools and equipment
- uses and limitations of adhesives and sealants
- documentation requirements for installation work.
-

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - equipment, tools and materials to complete tasks in the Performance Evidence
 - work orders
 - workplace procedures.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>