



Australian Government

Assessment Requirements for MSFSL3003 Fabricate and install residential leadlight and stained glass windows and doors

Release: 1

Assessment Requirements for MSFSL3003 Fabricate and install residential leadlight and stained glass windows and doors

Modification History

Release 1 - New unit of competency

Performance Evidence

- Interpret work order and locate and apply relevant information
- Apply safe handling requirements for equipment, products and materials, including use of personal protective equipment
- Identify materials used in the work process
- Follow work instructions, operating procedures and inspection processes to:
 - minimise the risk of injury to self or others
 - prevent damage to goods, equipment and products
 - maintain required production output and product quality
- Identify leadlight and stained glass windows and doors, their properties, uses and limitations
- Assess the likely impact of various environmental effects on leadlight and stained glass windows and doors
- Fabricate and install at least one (1) residential leadlight and stained glass window and one (1) residential leadlight and stained glass door
- Comply with legislation, regulations, standards, codes of practice and established safe practices and procedures for the fabrication and installation of leadlight and stained glass windows and doors
- Use mathematical ideas and techniques to correctly complete measurements, calculate area and estimate material requirements
- Communicate ideas and information to enable confirmation of work requirements and specifications and the reporting of work outcomes and problems, interpret basic plans and follow safety procedures
- Avoid backtracking, work flow interruptions or wastage
- Work with others and in a team by recognising dependencies and using cooperative approaches to optimise work flow and productivity

Knowledge Evidence

- State or territory WHS legislation, regulations, standards and codes of practice relevant to the full range of processes for leadlight and stained glass operations
- leadlight and stained glass windows and doors construction terminology and techniques
- Organisational and site standards, requirements, policies and procedures for fabrication and installation of leadlight and stained glass windows and doors
- Types of glass and other materials used in the leadlight and stained glass industry, their characteristics, properties, uses and limitations
- Environmental protection requirements relating to the disposal of waste material
- Established communication channels and protocols
- Relevant problem identification and resolution in the leadlight and stained glass environment
- Storage systems and labelling
- Procedures for the recording, reporting and maintenance of workplace records and information
- Appropriate calculation methods for stained glass operations

Assessment Conditions

- Assessors must:
 - hold training and assessment competencies as determined by the National Skills Standards Council (NSSC) or its successors
 - have vocational competency in the furnishing industry at least to the level being assessed with broad industry knowledge and experience, usually combined with a relevant industry qualification
 - be familiar with the current skills and knowledge used and have relevant, current experience in the furnishing industry.
- Assessment methods must confirm consistency of performance over time rather than a single assessment event and in a range of workplace relevant contexts.
- Assessment must be by observation of relevant tasks with questioning on underpinning knowledge and, where applicable, multimedia evidence, supervisor's reports, projects and work samples.
- Assessment is to be conducted on single units of competency or in conjunction with other related units of competency. Foundation skills are integral to competent performance in the unit and should not be assessed separately.
- Assessment must occur on the job or in a workplace simulated facility with relevant process, equipment, materials, work instructions and deadlines.
- Access is required to materials, equipment and specifications relevant to fabricating and installing leadlight and stained glass windows or doors.

Links

Companion Volume implementation guides are found in VETNet -
<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>