



Australian Government

MSL925003 Determine measurements of uncertainty

Release: 1

MSL925003 Determine measurements of uncertainty

Modification History

Release	Comments
Release 1	This version was released in <i>MSL Laboratory Operations Training Package Release 2.0</i>. Supersedes and equivalent to <i>MSL925002 Analyse measurements and estimate uncertainties</i>. Prerequisite removed. Range of conditions removed. Assessment requirements amended.

Application

This unit of competency describes the skills and knowledge to use statistical analysis to estimate and report measurement uncertainty in accordance with the ISO Guide to the Expression of Uncertainty in Measurement (or its replacement Standard). Personnel are required to review their estimates of measurement uncertainty to assist with making decisions on the fitness for purpose of the measurements.

This unit of competency applies to laboratory personnel who work in calibration and testing facilities, process and interpret data and are required to determine uncertainties using standard methods. The rigour required in estimating uncertainty will depend on the required accuracy of the particular calibration, test or measurement.

No licensing or certification requirements exist at the time of publication. However, regulations and/or external accreditation requirements for laboratory operations exist, so local requirements should be checked. Relevant legislation, industry standards and codes of practice within Australia must also be applied.

Pre-requisite Unit

Nil

Competency Field

Data

Elements and Performance Criteria

Elements describe the essential outcomes.

Performance criteria describe the performance needed to demonstrate achievement of the element.

Elements describe the essential outcomes.		Performance criteria describe the performance needed to demonstrate achievement of the element.	
1	Identify the measured quantity and the uncertainty components	1.1	Specify an equation for the measurement
		1.2	List uncertainty components that are associated with each input in the equation
2	Determine the size of each uncertainty component	2.1	Calculate the standard deviations and standard deviation of the mean from the measurement results
		2.2	Use calibration reports, manufacturer's specifications, quality control and validation data, and experimental data to collect other available information on the uncertainty components
3	Reduce each uncertainty component to a standard uncertainty	3.1	Allocate an appropriate distribution for each uncertainty component
		3.2	Calculate the standard uncertainties
4	Calculate an expanded uncertainty to the required confidence level	4.1	Calculate the sensitivity coefficient for each uncertainty component
		4.2	Calculate a combined standard uncertainty
		4.3	Determine an appropriate coverage factor based on the degrees of freedom associated with each uncertainty component
		4.4	Calculate the expanded uncertainty
5	Report the expanded uncertainty	5.1	Report the result and uncertainty to an appropriate number of significant figures
		5.2	Report the confidence level and coverage factor
		5.3	Determine the appropriateness of the size of the expanded uncertainty relative to the tolerance or

Elements describe the essential outcomes.

Performance criteria describe the performance needed to demonstrate achievement of the element.

required accuracy of the test

- 5.4 Determine the fitness for purpose of the expanded uncertainty relative to the use of the measurement result

Foundation Skills

This section describes those language, literacy, numeracy and employment skills that are essential to performance.

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Unit Mapping Information

Equivalent to MSL925002 Analyse measurements and estimate uncertainties, Release 1.

Links

MSL Laboratory Operations Companion Volume Implementation Guide is available from VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5c63a03b-4a6b-4ae5-9560-1e3c5f462baa>

Assessment Requirements for MSL925003 Determine measurements of uncertainty

Modification History

Release	Comments
Release 1	This version was released in <i>MSL Laboratory Operations Training Package Release 2.0</i>. Supersedes and equivalent to <i>MSL925002 Analyse measurements and estimate uncertainties</i>. Prerequisite removed. Range of conditions removed. Assessment requirements amended.

Performance Evidence

There must be evidence the candidate has completed the tasks outlined in the elements and performance criteria of this unit, and:

- analysed measurements and estimated uncertainties of a minimum of 3 sets of data, including:
 - using scientific notation, correct units and correct number of significant figures
 - evaluating formulae containing powers, exponents and logarithms functions
 - preparing and interpreting linear graphs
 - using statistical analysis to estimate and report measurement uncertainty in accordance with the *ISO Guide to the Expression of Uncertainty in Measurement*
 - calculating a combined standard uncertainty using root-sum-of-squares, accounting for correlations where necessary
 - gathering information about uncertainty components from calibration reports or reference material report
 - calculating sensitivity coefficients either experimentally or by partial differentiation
 - reporting results and uncertainties in the required formats.

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- the steps in the measurement, test or calibration involved
- the difference between errors, corrections and uncertainties
- uncertainty in the uncertainty estimation process
- uncertainty components:
 - calibration uncertainty

- instability or drift in the calibrated instrument
- repeatability of the results
- resolution or readability of the instrument
- environmental influences, such as temperature, air pressure, humidity, vibration, electrical noise and gravity
- reference material uncertainty
- common to the use of an instrument
- factors arising from the instrument being used under different conditions to those when it was calibrated
- factors arising from using an instrument under a different operating environment or procedures (such as orientation of a transducer and immersion depth of a temperature probe)
- reproducibility of quality control data
- workplace procedures for:
 - determining the uncertainty components associated with each of the inputs and whether they are significant and for applying appropriate corrections
 - determining uncertainty components from quality control data
- manufacturer's specifications (including instrument drift specification and reference materials)
- the concept of degrees of freedom
- the characteristics of a valid measurement
- reporting requirements: the uncertainty in measurement (GUM), National Association of Testing Authorities (NATA) or other applicable reference material
- Australian and international standards, codes and guides as they relate to the job role
- legal, ethical and work health and safety (WHS) requirements specific to the work task.

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - data sets and records
 - test methods and description of test set-up
 - computer and relevant software or laboratory information system
 - workplace sampling and test procedures.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

MSL Laboratory Operations Companion Volume Implementation Guide is available from VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5c63a03b-4a6b-4ae5-9560-1e3c5f462baa>