



Australian Government

Assessment Requirements for MSMSUP406

Identify faults in electronic control

Release: 1

Assessment Requirements for MSMSUP406 Identify faults in electronic control

Modification History

Release 1. Supersedes and is equivalent to MSAPMOPS406A Identify problems in electronic control

Performance Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy the requirements of the elements and performance criteria and must include the ability to:

- recognise and analyse control system faults
- identify and select testing methods based on cost and time effectiveness
- identify and develop maintenance requirements
- propose solutions and carry out solutions within scope of authority
- apply operational knowledge to non-routine problems
- identify and implement corrective actions
- monitor process and equipment conditions.

Knowledge Evidence

Evidence must be provided that demonstrates knowledge of:

- fundamentals of electricity and electronics
- electronic circuit diagrams
- principles of electronic circuit components
- principles of PLC programming, troubleshooting and diagnosis
- appropriate testing procedures and use of equipment for a range of equipment faults
- interaction of process conditions on product quality
- routine and non-routine causes of equipment failures and processes to develop solutions.

Assessment Conditions

- The unit should be assessed holistically and the judgement of competence based on a holistic assessment of the evidence.
- The collection of performance evidence:
 - should occur over a range of situations which include typical disruptions to normal, smooth operation of an operating plant
 - will typically include a supervisor/third-party report or other evidence, focusing on consistent performance and problem recognition and solving. A supervisor/third-party report must be prepared by someone who has a direct, relevant, current relationship with the person being assessed and who is in a position to form a judgement on workplace performance relevant to the unit of competency

- may use industry-based simulation for part only of the unit where safety, lack of opportunity or significant cost is an issue.
- Assessment should occur in operational workplace situations. Where this is not possible, or where personal safety or environmental damage are limiting factors, assessment must occur in a sufficiently rigorous simulated environment reflecting realistic operational workplace conditions. This must cover all aspects of workplace performance, including environment, task skills, task management skills, contingency management skills and job role environment skills.
- Assessment in a simulated environment should use evidence collected from one or more of:
 - walk-throughs
 - pilot plant operation
 - demonstration of skills
 - industry-based case studies/scenarios
 - ‘what ifs’.
- Knowledge evidence may be collected concurrently with performance evidence (provided a record is kept) or through an independent process, such as workbooks, written assessments or interviews (provided a record is kept).
- Assessment processes and techniques must be appropriate to the language, literacy and numeracy requirements of the work being performed and the needs of the candidate.
- Conditions for assessment must include access to all tools, equipment, materials and documentation required, including relevant workplace procedures, product and manufacturing specifications associated with this unit.
- The regulatory framework will be reflected in workplace policies and procedures and is not required to be independently assessed.
- Foundation skills are integral to competent performance of the unit and should not be assessed separately.
- As a minimum, assessors must satisfy the Standards for Registered Training Organisations 2015 assessor requirements.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=d1287d36-dff4-4e9f-ad2c-9d6270054027>