



Australian Government

PUADEFCA314B Operate an inland modular raft/ferry

Revision Number: 1

PUADEFCA314B Operate an inland modular raft/ferry

Modification History

Not applicable.

Unit Descriptor

Unit Descriptor

This unit covers the competency required to operate an inland modular raft or ferry. The raft or ferry will consist of at least three connected, unpowered pontoons that are propelled by at least two tugs. This Unit of Competency covers the assembly, navigation, and manoeuvring of the raft or ferry.

The raft or ferry will normally be driven in an environment of **protected or inland waterways**, while conducting a range of tasks including the transport of personnel and/or equipment.

The individual must demonstrate sound judgement in the use of authority. The individual will control the operation of the raft or ferry and crew.

Application of the Unit

Application of the Unit

The application of this unit in the workplace - the environments, complexities and situations involved - will be written during Phase II of the Review of the PUA00 Public Safety Training Package.

This text will be useful for the purposes of job descriptions, recruitment advice or job analysis; where possible, it will not be too job specific to allow other industries to import it into other Training Packages, where feasible.

Licensing/Regulatory Information

Not applicable.

Pre-Requisites

Prerequisite Unit/s	PUADEFCA304B Prepare, operate and maintain small watercraft PUADEFCA311B Operate an inland tug boat
----------------------------	--

Employability Skills Information

Employability Skills	This unit contains employability skills.
-----------------------------	--

Elements and Performance Criteria Pre-Content

Elements describe the essential outcomes of a Unit of Competency.

Performance Criteria describe the required performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the Required Skills and Knowledge and/or the Range Statement. Assessment of performance is to be consistent with the Evidence Guide.

Elements and Performance Criteria

ELEMENT

PERFORMANCE CRITERIA

1. Prepare for raft or ferry operation

- 1.1 Operating instructions are interpreted to determine the task, the cargo, the destination and route
- 1.2 Navigation data is compiled in accordance with **standard procedures**
- 1.3 Cargo weight is calculated to ensure weight is within the safe operating limit of the craft and **manifests** are completed to ensure passengers and cargo are safe to move in accordance with standard procedures
- 1.4 **Launch site survey**, risk and environmental assessment are conducted
- 1.5 Suitable **raft or ferry design** is determined based on the operation
- 1.6 Assembly and disassembly plan is developed in accordance with design, resources, surveys, risks and environmental considerations
- 1.7 Equipment is selected, checked for serviceability and unserviceable items are replaced or rejected, and reported in accordance with standard procedures
- 1.8 Operator and crew are checked to ensure they conform with relevant state/territory and federal licensing requirements
- 1.9 Problems that cannot be resolved locally are referred to higher authority for resolution
- 1.10 Crew is briefed in accordance with standard procedures
- 1.11 Liaison is undertaken with outside agencies as required
- 1.12 Shore preparation is conducted in accordance with standard procedures and the pontoons and tugs are prepared and readied for launch
- 1.13 Occupational health and safety (OH&S) requirements and recognised safety precautions are applied throughout the operation in accordance with standard procedures

2. Assemble and manoeuvre the raft or ferry

- 2.1 Crew is directed and supervised in accordance with standard procedures
- 2.2 Tugs and pontoons are safely launched in

3. Recover and restore raft or ferry

- accordance with standard procedures
- 2.3 Raft or ferry is assembled in accordance with assembly plan
- 2.4 Passengers are briefed on safety issues prior to embarking in accordance with standard procedures
- 2.5 Raft or ferry is loaded in accordance with manifest and checks are completed for security, alignment and load stability
- 2.6 Raft or ferry is navigated and manoeuvred consistent with ***hazards and environmental conditions***, and in accordance with standard procedures
- 2.7 ***Contingency and emergency drills*** are carried out, as necessary, to minimise threat to personnel and equipment in accordance with standard procedures
- 2.8 Personnel and/or equipment are disembarked and/or unloaded safely in accordance with standard procedures
- 2.9 All unexpected situations that require a quick and decisive response are recognised and responded to in accordance with operational requirements and standard procedures
- 3.1 Raft or ferry is disassembled in accordance with disassembly plan
- 3.2 Pontoons and tugs are recovered safely in accordance with standard procedures
- 3.3 Equipment is checked for serviceability, cleaned and serviced, and any defects are reported
- 3.4 ***Documentation*** is completed in accordance with standard procedures
- 3.5 Debriefing requirements are completed in accordance with standard procedures

Required Skills and Knowledge

REQUIRED SKILLS AND KNOWLEDGE

This describes the essential skills and knowledge and their level, required for this unit.

Required Skills

- command and control the crew, passengers and loads
- command and navigate the raft or ferry by day and night
- constantly monitor hazards and apply safety principles to operations
- read and interpret navigation charts
- safely operate the LRV to launch and recover tugs and pontoons
- supervise raft and ferry construction
- use clear interpersonal communication as operator of the vessel
- use knots and lashings to secure watercraft

Required Knowledge

- applicable statutory waterways rules for watercraft operation
- boat specific safety requirements and fire suppressant system
- employment of divers
- gap reconnaissance
- hasty buoyancy/floatation calculations
- launch and recovery procedure for the launch and recovery vehicle (LRV)
- legal responsibilities
- loading procedures and centre of gravity
- effects of water moving over objects and obstacles
- effects of wind on floating objects
- manifest data
- potential water hazards and environmental conditions
- raft and ferry design and construction sequence
- relevant legislation and procedures in relation to environmental requirements
- relevant OH&S regulations/requirements, equipment, material and personal safety requirements

Evidence Guide

EVIDENCE GUIDE

EVIDENCE GUIDE

Critical aspects for assessment and evidence required to demonstrate competency in this unit

Assessment must confirm the ability to safely operate a raft or ferry on various waterways and to manage the full range of contingency and emergency actions.

Assessment must also confirm the ability to manoeuvre a raft or ferry, with a minimum weight of twenty ton.

Operation of the raft or ferry must be completed in a safe manner by day and night over a range of environmental conditions which must include:

- wind gusts of approximately 10 knots
- small swell
- varying currents.

Consistency in performance

Competency should be demonstrated over a time frame that allows for the preparation, launch, recovery, navigation and manoeuvring of a raft or ferry under a range of water operating conditions carrying personnel or cargo.

Context of and specific resources for assessment

Context of assessment

Competency should be assessed in the workplace or in a simulated work environment under conditions that safely replicate a range of conditions that could be expected in the workplace.

Specific resources for assessment

Access to tugs and pontoons; associated equipment and accessories, including cargo crew; and suitable waterways with access to flowing/tidal water.

Guidance information for assessment

Information that will assist or guide assessment will be written during Phase II of the Review of the PUA00 Public Safety Training Package.

Range Statement

RANGE STATEMENT

The Range Statement relates to the Unit of Competency as a whole. It allows for different work environments and situations that may affect performance. ***Bold italicised*** wording in the Performance Criteria is detailed below.

Protected or inland waterways are defined as

Estuaries
Closed waters and open water to a maximum of 400 m from the low water mark
Dams
Delta
Rivers

Standard procedures may include

Australian Standards
Job guides, pamphlets and other publications
Manufacturers' handbooks, industry specifications and technical instructions
OH&S regulations
Organisational policies and procedures
Relevant local government by-laws
Relevant state/territory or federal legislation or regulations
Statutory waterways rules
Written and verbal orders and job instructions

Manifests may include

Deployment planning data sheet (DPDS)
Ship's log
Written orders

Launch site survey may include

Alternate sites
Camouflage and concealment
Construction site
Crossing sites
Gap assessment (measurements, profiling, soil tests, California bearing ratio, angle of repose of banks, bank height and differences)
Improvements required (plant assistance)
Launch sites

RANGE STATEMENT

	Location and map reference
	Reconnaissance
	Routes in/out
	Sketch and photos
	Tidal variation
	Underwater inspection for obstacles
	Water current measurement
	Water depth
	Waiting and cushion areas
Raft or ferry design must be in accordance with operational procedures	MLC 20 (30) - 1 x internal and 2 x ramp modules
	MLC 40 (50) - 2 x internal and 2 x ramp modules
	MLC 60 (70) - 3 x internal and 2 x ramp modules
	Note: Figures in brackets indicate exceptional loads
Hazards and environment conditions may include	Adverse weather
	Eddies
	Fast flowing streams and near still waters
	Fire
	Floating and submerged debris and snags
	Fog or drizzle
	Heat and cold
	Other vessels
	Reduced visibility due to after dark operations
	Sea states
	Spillage
	Time pressure
	Undertows
	Underwater hazards
	Wildlife
Contingency and emergency drills may include	Abandon raft or ferry drills
	Action on capsize
	Diagnosing and rectifying minor engine faults

RANGE STATEMENT**Documentation may include**

Fire drills
Man overboard drills
Propeller replacement
Towing vessels
Use of improvised rudder
Activity log
Assembly documentation
Commander's notebook
Environmental compliance
Equipment documentation
Maintenance records
Manifest
Maps and charts
Post activity report
Ship's log

Unit Sector(s)

Not applicable.

Corequisite Unit/s**Co-requisite Unit/s**

Nil