



Australian Government

Assessment Requirements for RIICTT402E Supervise repair and rehabilitation of underground services using trenchless technology

Assessment Requirements for RIICTT402E Supervise repair and rehabilitation of underground services using trenchless technology

Modification History

Release	Comments
Release 1	This version first released with RII Resources and Infrastructure Industry Training Package Version 6.0.

Performance Evidence

The candidate must demonstrate the ability to complete the tasks outlined in the elements, performance criteria and foundation skills of this unit, including evidence of the ability to:

- supervise the repair and rehabilitation of underground services using trenchless technology on at least two occasions, including:
 - overseeing the completion of underground service repair and rehabilitation
 - monitoring and adjusting work programs where required to achieve outcomes
 - recommending improvements for safety and efficiency
 - applying operational techniques, including at least one of the following methods:
 - on-line replacement
 - localised repair and sealing
 - cure in-place lining
 - spray lining
 - slip lining.

During the above, the candidate must:

- locate and apply required documentation, policies and procedures
- implement the requirements, procedures and techniques to supervise the repair and rehabilitation of underground service using trenchless technology tasks, including:
 - accessing or developing the job plan and making it available to team members
 - monitoring task performance
 - ensuring maintenance is carried out and recorded
- work with others to supervise the repair and rehabilitation of underground service using trenchless technology that meets the required outcomes, including:
 - providing written and verbal instructions
 - completing written and verbal reporting requirements and procedures
 - preparing for and conducting briefings, toolbox and site meetings

- organising work activities to meet all task requirements.
-

Knowledge Evidence

The candidate must be able to demonstrate knowledge to complete the tasks outlined in the elements, performance criteria and foundation skills of this unit, including knowledge of:

- legislation required to supervise the repair and rehabilitation of underground services using trenchless technology
- policies, procedures and documentation to supervise the repair and rehabilitation of underground services using trenchless technology, including those relating to:
 - work health and safety
 - environmental protection
 - waste management
 - site requirements
 - risk assessment and management
 - emergency response
 - communication techniques and equipment
 - quality management
 - relevant specifications
 - workplace reporting requirements, including:
 - briefings
 - handovers
 - work orders
 - toolbox meetings
 - site meetings
 - manufacturer specifications for required plant and equipment
 - drainage issues
 - job reports
- procedures for interpreting:
 - project site soil and geological data
 - meteorological data
 - material properties and test results
 - project site geotechnical data
 - project site hydrological data
 - project engineering survey information
 - project plans and drawings
- principles and techniques for supervising repair and rehabilitation of underground services using trenchless technology, including those relating to:
 - supervising and leading
 - civil works construction sequencing

- works planning
- setting up and using levelling devices
- mentoring
- estimating
- engineering surveying
- construction offsets
- developing workplace relationships
- renovating large diameter pipes and chambers
- performance monitoring
- soil and rock types
- quantities for the execution of tasks, including:
 - volumes
 - grades
 - percentages
 - areas
 - resource consumption figures, including required supply rates
- relationships between various areas of civil works
- types, characteristics, technical capabilities and limitations of plant and equipment required to supervise repair and rehabilitation of underground services using trenchless technology.
-

Assessment Conditions

Mandatory conditions for assessment of this unit are stipulated below. The assessment must:

- include access to:
 - personal protective equipment
 - equipment required to supervise the repair and rehabilitation of underground services using trenchless technology
- be conducted in a safe environment; and,
- be assessed in the context of this sector's work environment; and,
- be assessed in compliance with relevant legislation/regulation and using policies, procedures and processes directly related to the industry sector for which it is being assessed; and,
- confirm consistent performance can be applied in a range of relevant workplace circumstances.

Where personal safety or environmental damage are limiting factors, assessment may occur in a simulated work environment* provided it is realistic and sufficiently rigorous to cover all aspects of this sector's workplace performance, including environment, task skills, task management skills, contingency management skills and job role environment skills.

- **Assessor requirements**

Assessors must be able to clearly demonstrate current and relevant industry knowledge and experience to satisfy the mandatory regulatory standards as set out in the Standards for Registered Training Organisations 2015/Australian Quality Training Framework mandatory requirements for assessors current at the time of assessment and any relevant licensing and certification requirements. This includes:

- vocational competencies at least to the level being delivered and assessed
- current industry skills directly relevant to the training and assessment being provided
- current knowledge and skills in vocational training and learning that informs their training and assessment
- formal relevant qualifications in training and assessment
- having knowledge of and/or experience using the latest techniques and processes
- possessing the required level of RII training product knowledge
- having an understanding and knowledge of legislation and regulations relevant to the industry and to employment and workplaces
- demonstrating the performance evidence, and knowledge evidence outlined in this unit of competency, and
- the minimum years of current** work experience after competency has been obtained as specified below in an industry sector relevant to the outcomes of the unit.

It is also acceptable for the appropriately qualified assessor to work with an industry expert to conduct assessment together and for the industry expert to be involved in the assessment judgement. The industry expert must have current industry skills directly relevant to the training and assessment being provided. This means the industry subject matter expert must demonstrate skills and knowledge from the minimum years of current work experience after competency has been obtained as specified below, including time spent in roles related to the unit being assessed:

Industry sector	AQF indicator level***	Required assessor or industry subject matter expert experience
Drilling, Metalliferous Mining, Coal Mining, Extractive (Quarrying) and Civil Infrastructure	1	1 year
	2	2 years
Drilling, Coal Mining, Extractive (Quarrying), Metalliferous Mining and Civil Infrastructure	3-6	3 years
Other sectors	Where this unit is being assessed outside of the resources and infrastructure sectors assessor and/or industry subject matter expert experience should be in-line with industry standards for the sector in which it is being assessed and where no industry standard is specified should comply with any relevant regulation.	

*Guidance on simulated environments has been stipulated in the RII implementation guide located on VETNet.

**Assessors can demonstrate current work experience through employment within industry in a role relevant to the outcomes of the unit; or, for external assessors this can be demonstrated through exposure to industry by conducting a minimum number of site assessments as determined by the relevant industry sector, across various locations.

*** While a unit of competency does not have an AQF level, where a unit is being delivered outside of a qualification the first numeric character in the unit code should be considered as the AQF indicator level for assessment purposes.

Links

Companion Volume Implementation Guide is found on VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=88a61002-9a21-4386-aaf8-69c76e675272>