



Australian Government

UEGNSG714A Relight Type A gas appliances

Release 1

UEGNSG714A Relight Type A gas appliances

Modification History

This unit is a revised version of the UEG11 unit UEGNSG704A Conduct an appliance relight.

Unit Descriptor

Unit Descriptor

1) Scope:

1.1) Descriptor

This unit covers relighting a Type A gas appliance by a designated gas industry person following the interruption to gas supply using manufacturers lighting instructions and company standard operating procedures in accordance with relevant legislative, standard and code requirements.

It encompasses the use of hand tools for purging gas service pipework, testing the installation for soundness, identifying and reporting potentially dangerous installations and isolating unsafe appliances, relighting safe appliances and completing appropriate documentation.

Application of the Unit

Application of the Unit 2)

This competency standard shall apply to any safe work site where Type A gas appliances are installed, subject to all Workplace Health and Safety (WHS)/Occupational Health and Safety (OHS) and duty of care requirements being met for the workplace.

This unit is intended as an AQF 2 entry level competency for new entrants in the gas industry. It is suitable for pre-employment and employment-based programs under an approved contract of training.

Licensing/Regulatory Information

License to practice 3)

During Training:

Competency development activities are subject to regulations directly related to licensing, workplace health and safety/occupational health and safety and where applicable contracts of training.

In the workplace:

The skills and knowledge described in this unit are not subject to licence regulation other than those directly related to Workplace Health and Safety (WHS)/Occupational Health and Safety (OHS), gas/electricity/water industry safety and compliance, industrial relations, environmental protection, telecommunications, anti-discrimination and training.

Commonwealth, State/Territory or Local Government legislation and regulations may exist that limit the age at which a person can operate certain equipment. Other conditions may apply to this competency under State and Territory legislative and regulatory requirements.

Pre-Requisites

Prerequisite Unit(s) 4)

Competencies 4.1)

Granting of competency in this unit shall be made only after competency in the following unit(s) has/have been confirmed:

UEGNSG141A Apply Workplace Health and Safety regulations, codes and practices in the gas industry

UEGNSG005A Prepare to work in the Australian gas industry

Literacy and numeracy skills 4.2)

Participants are best equipped to achieve this unit if they have reading, writing and numeracy skills indicated by the following scales. Description of each scale is given in Volume 2, Part 3 'Literacy and Numeracy'

Reading 3 Writing 3 Numeracy 3

Employability Skills Information**Employability Skills 5)**

The required outcomes described in this unit of competency contain applicable facets of Employability Skills. The Employability Skills Summary of the qualification in which this unit of competency is packaged will assist in identifying Employability Skill requirements.

Elements and Performance Criteria Pre-Content

6) *Elements describe the essential outcomes of a competency standard unit* *Performance Criteria describe the required performance needed to demonstrate achievement of the element. Assessment of performance is to be consistent with the Evidence Guide.*

Elements and Performance Criteria**ELEMENT****PERFORMANCE CRITERIA****1 Prepare to conduct a Types A appliance relight**

- | | |
|-----|--|
| 1.1 | Work instructions for the appliance relight are received and confirmed to ensure clear understanding |
| 1.2 | Relevant requirements and established procedures to be followed for the work are provided and discussed with relevant persons to establish and confirm the work schedule |

ELEMENT	PERFORMANCE CRITERIA
	1.3 WHS/OHS, environmental and sustainable energy policies and procedures are received and confirmed to ensure they are understood
	1.4 Hazards are identified, WHS/OHS risks assessed and control measures are prioritised, implemented and monitored according to established procedures
	1.5 Scope of responsibility under the relevant work permit/authorisation are received and confirmed with relevant persons according to requirements and established procedures
	1.6 Equipment, tools, resources, materials and personal protective equipment needed to conduct an appliance relight are identified, obtained and checked for correct operation and safety.
	1.7 Relevant responsibilities associated with related work safety and emergency procedures at the worksite are confirmed in accordance with requirements and established procedures
	1.8 Appropriate persons are consulted to ensure the appliance relight is coordinated effectively with others involved
	1.9 Client issues are referred to appropriate persons in accordance with industry standards and established procedures
	1.10 Work site is preparation, safety plan and work schedule are confirmed in accordance with established procedures
2 Carry out an installation soundness test and an appliance relight	2.1 WHS/OHS and risk control measures, schedule of work and standard operating procedures for carrying out the work are followed.
	2.2 Appropriate materials, tools, equipment and devices are selected and used correctly and safely.
	2.3 Operational knowledge for utilising correct and safe use of basic equipment and tools to test the installation for soundness and relight an

ELEMENT	PERFORMANCE CRITERIA
	appliance is confirmed
	2.4 Appliance relight is undertaken following manufacturer's instructions and company procedures
	2.5 Work is carried out efficiently, to the required quality standard without waste of materials or damage to apparatus, equipment, the surrounding environment or services and using sustainable energy principles.
	2.6 Hazard warnings and safety signs are recognised and hazards and assessed WHS/OHS risks are reported to the immediate authorised persons for directions according to established procedures
	2.7 Further instructions are sought from appropriate persons for unplanned events or conditions occurring
	2.8 Ongoing checks of quality of the work are undertaken in accordance with instructions and established procedures
3 Complete the work and relevant documentation	3.1 WHS/OHS risk control work completion measures and procedures are followed.
	3.2 Final checks including visual observation is performed to ensure the quality of the work complies with established procedures and to appliance manufacturers instructions
	3.3 Appropriate persons are notified of completion of the work
	3.4 Equipment and tools and any surplus resources and materials are cleaned, checked and stored securely
	3.5 Work area is tidied and made safe in accordance with given instructions and established procedures
	3.6 Work completion records and documentation are updated in accordance with instructions and

ELEMENT

PERFORMANCE CRITERIA

established procedures

Required Skills and Knowledge

REQUIRED SKILLS AND KNOWLEDGE

7) This describes the skills and knowledge and their level, required for this unit.

Evidence shall show that knowledge has been acquired of safe working practices for relighting a Type A gas appliance by a designated gas industry person following the interruption to gas supply.

All knowledge and skills detailed in this unit should be contextualised to current industry practices and technologies. The extent of the required skills and knowledge is provided below. It forms an integral part of this unit.

KS01-G714A Type A appliance relight

Evidence shall show an understanding of relighting a Type A gas appliance in accordance with relevant legislation, standards, codes and established procedures to an extent indicated by the following aspects:

T1. Relevant legislation, Australian Standards, codes, regulations and procedure requirements

T2. Safety requirements

- hazards, risk assessment and control measures
- environmental and safety hazards, assess risks and implement control measures
- safety requirements for entering domestic and commercial customer sites

T3. Customer liaison

T4. Procedures and tools for purging service lines

T5. Soundness testing tools, equipment and procedures

T6. Procedures for identifying and isolating unsafe appliances/ installations

T7. Procedures for conducting Type A appliance relights

T8. Reading and recording gas meter details

T9. Relevant documentation

- signs, symbols terminology and legends as used in industry procedures and documents
- workplace forms and reports

Evidence Guide

EVIDENCE GUIDE

8) The Evidence Guide forms an integral part of this Unit and shall be used in conjunction with all components parts of this unit and performed in accordance with the Assessment Guidelines of this Training Package.

Overview of Assessment 8.1)

Longitudinal competency development approaches to assessment, such as Profiling, require data to be reliably gathered in a form that can be consistently interpreted over time. This approach is best utilised in Apprenticeship programs and reduces assessment intervention. It is the Industry's preferred model for apprenticeships. However, where summative (or final) assessment is used it is to include the application of the competency in the normal work environment or, at a minimum, the application of the competency in a realistically simulated work environment. It is recognised that, in some circumstances, assessment in part or full can occur outside the workplace. However, it must be in accord with industry and regulatory policy in this regard.

Methods chosen for a particular assessment will be influenced by various factors. These include the extent of the assessment, the most effective locations for the assessment activities to take place, access to physical resources, additional safety measures that may be required and the critical nature of the competencies being assessed.

The critical safety nature of working with electricity, electrical equipment, gas or any other hazardous substance/material carries risk in deeming a person competent. Hence, sources of evidence need to be 'rich' in nature so as to minimise error in judgment.

Activities associated with normal every day work have a bearing on the decision as to how much and how detailed the data gathered will contribute to its 'richness'. Some skills are more critical to safety and operational requirements while the same skills may be more or less frequently practised. These points are raised for the assessors to consider when choosing an assessment method and developing assessment instruments. Sample assessment instruments are included in the Assessment Guidelines of this

Training Package.

**Critical aspects 8.2)
of evidence
required to
demonstrate
competency in
this unit**

Before the critical aspects of evidence are considered all prerequisites shall be met.

Evidence for competence in this unit shall be considered holistically. Each element and associated Performance Criteria shall be demonstrated on at least two occasions in accordance with the 'Assessment Guidelines — UEG11'. Evidence shall also comprise:

- A representative body of Performance Criteria demonstrated within the timeframes typically expected of the discipline, work function and industrial environment. In particular this shall incorporate evidence that shows a candidate is able to:
 - Implement Occupational Health and Safety workplace procedures and practices including the use of risk control measures as specified in the Performance Criteria and range
 - Apply sustainable energy principles and practices as specified in the Performance Criteria and range
 - Demonstrate an understanding of the required knowledge and skills as described in this unit to such an extent that the learner's performance outcome is reported in accordance with the preferred approach; namely a percentile graded result, where required by the regulated environment
 - Demonstrate an appropriate level of skills enabling employment
 - Conduct work observing the relevant Anti-discrimination legislation, regulations, policies and workplace procedures
- Demonstrate performance across a representative range of contexts from the prescribed items below.
 - Relight a Type A gas appliance as described in 9.) Range Statement and including:

Range of tools/equipment/procedures/workplace		
Group No	The minimum number of items on which skill is to be demonstrated	Item List

A. Procedures	All	• Work utilising relevant WHS/OHS legislation, regulations, codes of practice, policies and procedures • Communicate effectively with appropriate personnel and customers • Accurately complete records and documentation • Follow work schedules including meeting appointments • Effectively use tools and equipment to conduct a Type A appliance relight • Advise stakeholders of potentially dangerous or illegal situations
B. Requirements	All	• Installation reconnection following interruption of supply • Installation soundness (leak) testing • Identifying non-conforming appliances and installations • Isolation of unsafe appliances and installations
C. Unplanned events	At on at least one occasion	Respond to an unplanned event by drawing on required knowledge and skills to provide appropriate solutions incorporated in the holistic assessment with

		the above listed items
--	--	------------------------

Context of and specific resources for assessment **8.3)**

This unit should be assessed as it relates to normal work practice using procedures, information and resources typical of a workplace. This should include:

- OHS policy and work procedures and instructions.
- Suitable work environment, facilities, equipment and materials to undertake actual work as prescribed by this Unit.
- Appropriate environmental regulation and work practices.
- Appropriate organisational requirements.
- Appropriate work environment, equipment and tools.

In addition to the resources listed above, in Context of and specific resources for assessment, evidence should show demonstrated competency in conducting appliance relights.

Assessment of this competency must also be undertaken in either an actual workplace or under a simulated work environment. Assessment must also integrate the key competencies.

Method of assessment **8.4)**

This Unit shall be assessed by methods given in Volume 1 Part 3 'Assessment Guidelines'.

Note: Competent performance with inherent safe working practices is expected in the Industry to which this Unit applies. This requires that the specified Required Knowledge and Skills are assessed in a structured environment which is primarily intended for learning/assessment and incorporates all necessary equipment and facilities for learners to develop and demonstrate the Required Knowledge and Skills described in this unit.

Concurrent assessment and relationship with other units 8.5)

There are no recommended concurrent assessments with this unit, however in some cases efficiencies may be gained in terms of learning and assessment effort being concurrently managed with allied Units where listed.

UEGNSG132 Carry out basic work activities in a gas industry
A work environment

Range Statement

RANGE STATEMENT

9) This relates to the competency standard unit as a whole providing the range of contexts and conditions to which the Performance Criteria apply. It allows for different work environments and situations that will affect performance.

This Unit shall be demonstrated in relation to relighting a Type A gas appliance by a designated gas industry person following the interruption to gas supply.

The following constants and variables included in the element/Performance Criteria in this unit are fully described in the Definitions Section of this volume and form an integral part of the Range Statement of this unit:

- Appropriate persons
- Hand tools to disconnect and reconnect meters, including footprints, spanners, neon tester, bonding leads, soap tester, safety matches
- Safe working procedures
- Legislative requirements
- Personal Protective Equipment

Unit Sector(s)

Gas Industry

Competency Field

Competency Field	11)
	Support services