



Australian Government

UEPMNT358 Modify instrumentation equipment

Release: 2

UEPMNT358 Modify instrumentation equipment

Modification History

Release 2. Minor release to update superseded pre-requisite units.

Release 1. This is the first release of this unit of competency in the UEP Generation Training Package.

Application

This unit involves the skills and knowledge required to conduct modifications of instrumentation equipment, including but not limited to sensor elements, signal characterising equipment, input and output blocks, controllers, transducers and final elements.

Modifications to instrumentation equipment, that forms part of the control system in a power generation facility, includes any changes which may alter it from the manufacturers' specifications.

Competency in this unit requires the ability to plan work, carry out modifications of instrumentation equipment and to report on all completed work tasks. Individuals will, in general, work under supervision in an electrical, electronic and/or mechanical equipment repair workshop or on site.

Power generation maintenance personnel are typically trained and authorised to receive permits to work.

No licensing, legislative or certification requirements apply to this unit at the time of publication.

Note: Workplace practice

The application of the skills and knowledge described in this unit of competency may require a licence or training permit to practice in the workplace, where work is carried out on gas and electrical installations. Additional and/or other conditions may apply under state and territory legislative and regulatory licensing requirements.

Pre-requisite Unit

UEECD0019 Fabricate, assemble and dismantle utilities industry components

UEECD0020 Fix and secure electrotechnology equipment

UEECD0051 Use drawings, diagrams, schedules, standards, codes and specifications

Competency Field

Maintenance

Unit Sector

Electricity generation

Elements and Performance Criteria

ELEMENTS

Elements describe the essential outcomes.

1 Plan and prepare for work

PERFORMANCE CRITERIA

Performance criteria describe the performance needed to demonstrate achievement of the element.

- 1.1** Requirements including scope of work and assigned roles are identified and confirmed with appropriate personnel or by site inspection, in accordance with workplace procedures
- 1.2** Work, Health and Safety (WHS)/Occupational Health and Safety (OHS) regulations, legislative requirements, industry standards, codes of practice, manufacturers' specifications, environmental obligations and workplace procedures are reviewed in preparation for work
- 1.3** Resources are obtained and inspected for compliance with job specification
- 1.4** Relevant plans, drawings and manuals are selected and used in accordance with workplace procedures
- 1.5** Correct materials and components for work are obtained and inspected, in accordance with workplace procedures, for compliance with job specification
- 1.6** Work is planned, sequenced and prioritised, in accordance with workplace procedures
- 1.7** Potential hazards are identified and risk control measures are selected and implemented, in accordance with workplace procedures
- 1.8** Work area is prepared, in accordance with workplace and site procedures

2 Carry out instrument equipment modifications

- 2.1** Isolations are confirmed, in accordance with workplace procedures
- 2.2** Instrumentation equipment is modified, in accordance with workplace procedures, plans, drawings and

manuals

- 2.3 Modifications are completed, in accordance with workplace procedures, and without unnecessary damage or loss to other equipment
- 2.4 Modified instrumentation equipment is set up to suit operational requirements, in accordance with workplace procedures and manufacturers' specifications
- 2.5 Final inspection is performed, in accordance with workplace procedures

3 Complete work

- 3.1 Work is completed and appropriate personnel are notified in accordance with workplace procedures
- 3.2 Work area is cleared of waste, cleaned, restored and secured, in accordance with workplace procedures
- 3.3 Tools and equipment are cleaned, maintained and stored, in accordance with workplace procedures
- 3.4 Work completion details are finalised, in accordance with workplace procedures

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

Range is restricted to essential operating conditions and any other variables essential to the work environment.

Non-essential conditions may be found in the Companion Volume Implementation Guide.

Unit Mapping Information

This unit replaces and is equivalent to UEPMNT358B Modify instrumentation equipment.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=1715b9fa-e7bd-441c-bb8d-cf22c9c825a8>