



Australian Government

UEPMNT426 Maintain electronic instrumentation equipment

Release: 1

UEPMNT426 Maintain electronic instrumentation equipment

Modification History

Release 1. This is the first release of this unit of competency in the UEP Generation Training Package.

Application

This unit involves the skills and knowledge required to conduct maintenance on electronic instrumentation equipment.

Maintenance is an essential part of the ongoing care and upkeep of electronic instrumentation equipment that is used to measure, monitor, automate and control processes and equipment in a power generation facility.

Competency in this unit requires the ability to plan work, carry out maintenance on electronic instrumentation equipment and to report on all completed work tasks. Individuals will, in general, work under supervision in an electrical, electronic and/or mechanical equipment repair workshop or on site.

Power generation maintenance personnel are typically trained and authorised to receive permits to work.

No licensing, legislative or certification requirements apply to this unit at the time of publication.

Note: Workplace practice

The application of the skills and knowledge described in this unit of competency may require a licence or training permit to practice in the workplace, where work is carried out on gas and electrical installations. Additional and/or other conditions may apply under state and territory legislative and regulatory licensing requirements.

Pre-requisite Unit

UEPMNT356 Maintain instrumentation equipment

UEENEEI001B Install and set up transducers and sensing devices

UEENEEE102A Fabricate, assemble and dismantle utilities industry components

UEENEEE105A Fix and secure electrotechnology equipment

UEENEEE107A Use drawings, diagrams, schedules, standards, codes and specifications

Competency Field

Maintenance

Unit Sector

Electricity generation

Elements and Performance Criteria

ELEMENTS

Elements describe the essential outcomes.

1 Plan and prepare for work

PERFORMANCE CRITERIA

Performance criteria describe the performance needed to demonstrate achievement of the element.

- 1.1 Requirements including scope of work and assigned roles are identified and confirmed with appropriate personnel or by site inspection, in accordance with workplace procedures
- 1.2 Work, Health and Safety (WHS)/Occupational Health and Safety (OHS) regulations, legislative requirements, industry standards, codes of practice, manufacturers' specifications, environmental obligations and workplace procedures are reviewed in preparation for work
- 1.3 Resources are obtained and inspected for compliance with job specification
- 1.4 Relevant plans, drawings and manuals are selected and used, in accordance with workplace procedures
- 1.5 Correct materials and components for work are obtained and inspected, in accordance with workplace procedures, for compliance with job specification
- 1.6 Work is planned, sequenced and prioritised, in accordance with workplace procedures
- 1.7 Potential hazards are identified, and risk control measures are selected and implemented, in accordance with workplace procedures
- 1.8 Work area is prepared, in accordance with workplace procedures

2 Carry out electronic instrumentation equipment maintenance

- 2.1 Isolations are confirmed, where appropriate, in accordance with workplace procedures and site requirements
- 2.2 Electronic instrumentation equipment is maintained, in accordance with workplace procedures, using plans,

drawings and manuals

- 2.3 Calibration or adjustments are carried out, in accordance with workplace procedures, to ensure equipment operates safely
- 2.4 Maintenance, calibration or adjustments are carried out, in accordance with workplace procedures, without loss or damage to other equipment
- 2.5 Final inspection is carried out, in accordance with workplace procedures

3 Complete work

- 3.1 Work is completed and appropriate personnel are notified, in accordance with workplace procedures
- 3.2 Work area is cleared of waste, cleaned, restored and secured, in accordance with workplace procedures
- 3.3 Tools and equipment are cleaned, maintained and stored, in accordance with workplace procedures
- 3.4 Work completion details are finalised, in accordance with workplace procedures

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

Range is restricted to essential operating conditions and any other variables essential to the work environment.

Non-essential conditions may be found in the Companion Volume Implementation Guide.

Unit Mapping Information

This unit replaces and is equivalent to UEPMT426B Maintain electronic instrumentation equipment.

Links

Companion Volume implementation guides are found in VETNet -
<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=1715b9fa-e7bd-441c-bb8d-cf22c9c825a8>