



Australian Government

Assessment Requirements for UEPMNT428 Modify complex instrumentation equipment

Release: 2

Assessment Requirements for UEPMNT428 Modify complex instrumentation equipment

Modification History

Release 2. Minor release to update superseded pre-requisite units.

Release 1. This is the first release of this unit of competency in the UEP Generation Training Package.

Performance Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy all the requirements of the elements, performance criteria and range of conditions on at least two separate occasions and includes:

- applying Work, Health and Safety (WHS)/Occupational Health and Safety (OHS) requirements including:
 - emergency procedures
 - hazard identification
 - risk control measures
 - safe working practices
- carry out modifications using modification techniques and procedures
- communicating with personnel
- completing work and finalising completion details
- determining permit to work requirements
- identifying and selecting materials
- implementing regulations, industry standards, codes of practice and legislation
- interpreting manufacturers' specifications and manuals
- modifying complex instrumentation equipment
- planning for modification of complex instrumentation equipment work
- using tools and equipment
- utilising data analysis techniques and tools
- working with test and measurement instruments

Knowledge Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy all the requirements of the elements, performance criteria and range of conditions and includes knowledge of:

- equipment and materials
- instrumentation practices

- isolations
- layout of generation plant and operation of equipment
- legislation, industry standards, codes of practice and regulations
- manufacturers' specifications and manuals
- modification techniques
- modifying complex instrumentation equipment
- permit to work system
- test and measurement instruments
- typical arrangements of power production plant
- WHS/OHS legislated requirements including:
 - emergency procedures
 - hazard identification
 - risk control measures
 - safe working practices
- workplace documentation
- workplace policies and procedures

Assessment Conditions

As a minimum, assessors must satisfy applicable regulatory requirements, which include requirements in the Standards for Registered Training Organisations current at the time of assessment.

As a minimum, assessment must satisfy applicable regulatory requirements, which include requirements in the Standards for Registered Training Organisations current at the time of assessment.

Assessment processes and techniques must be appropriate to the language, literacy and numeracy requirements of the work being performed and the needs of the candidate.

Assessment must occur in workplace operational situations. Where this is not appropriate, assessment must occur in simulated workplace operational situations that reflect workplace conditions. Resources for assessment must include access to:

- a range of relevant exercises, case studies and/or other simulations
- relevant and appropriate materials, tools, equipment and personal protective equipment currently used in industry
- applicable documentation including workplace procedures, industry standards, equipment specifications, regulations, codes of practice and operation manuals.

Links

Companion Volume implementation guides are found in VETNet -
<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=1715b9fa-e7bd-441c-bb8d-cf22c9c825a8>