



Australian Government

Assessment Requirements for UEP OPS102 Operate and monitor hydro plant auxiliary systems

Release: 1

Assessment Requirements for UEPOPS102 Operate and monitor hydro plant auxiliary systems

Modification History

Release 1. This is the first release of this unit of competency in the UEP Electricity Supply Industry – Generation Sector Training Package Release 2.0.

Performance Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy all the requirements of the elements and performance criteria on at least two separate occasions and include:

- analysing hydro plant auxiliary system faults using data analysis techniques and tools
- applying work health and safety (WHS)/occupational health and safety (OHS) requirements, including:
 - emergency procedures
 - risk control measures
 - safe working practices
- communicating with personnel
- completing documentation using recording procedures
- identifying hydro plant auxiliary system status
- implementing regulations, legislative requirements, codes of practice, manufacturers' recommendations and specifications, and environmental requirements
- monitoring and inspecting hydro plant auxiliary system operations
- operating hydro plant auxiliary system and equipment, including when under the influence of high water pressures and/or flows
- organising resources
- preparing and planning work
- recognising and responding to abnormal hydro plant auxiliary system operating conditions
- testing hydro plant auxiliary system operationally using diagnostic and testing techniques
- using permit to work system
- working with hydro plant auxiliary system and equipment.

Knowledge Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy all the requirements of the elements and performance criteria and include knowledge of:

- arrangements of power production plant, including hydro generator types and characteristics
- hydro plant auxiliary system and equipment, location and operating parameters
- hydro plant auxiliary system, including equipment behaviours under the influence of high

- water pressure and flows
- manuals
- permit to work system
- regulations, legislative requirements, codes of practice, manufacturers' recommendations and specifications, and environmental requirements
- WHS/OHS requirements, including:
 - emergency procedures
 - risk control measures
 - safe working procedures
- workplace documentation
- workplace policies and procedures.

Assessment Conditions

Assessors must hold credentials specified within the Standards for Registered Training Organisations current at the time of assessment.

Assessment must satisfy the Principles of Assessment and Rules of Evidence and all regulatory requirements included within the Standards for Registered Training Organisations current at the time of assessment.

Assessment must occur in workplace operational situations where it is appropriate to do so; where this is not appropriate, assessment must occur in simulated workplace operational situations that replicate workplace conditions.

Assessment processes and techniques must be appropriate to the language, literacy and numeracy requirements of the work being performed and the needs of the candidate.

Resources for assessment must include access to:

- a range of relevant exercises, case studies and/or other simulations
- relevant and appropriate materials, tools, equipment and personal protective equipment (PPE) currently used in industry
- applicable documentation, including workplace procedures, equipment specifications, regulations, codes of practice and operation manuals.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=1715b9fa-e7bd-441c-bb8d-cf22c9c825a8>