



Australian Government

Department of Education, Employment and Workplace Relations

UEPMNT319B Maintain and test fixed fire protection systems

Release: 1

UEPMNT319B Maintain and test fixed fire protection systems

Modification History

Not applicable.

Unit Descriptor

Unit Descriptor

1) Scope:

1.1) Descriptor

This unit deals with the skills and knowledge required to conduct maintenance, fault finding and in-service testing of fixed fire protection systems.

Application of the Unit

Application of the Unit 2)

This unit is intended to augment formally acquired competencies. It is suitable for employment-based programs under an approved contract of training.

Licensing/Regulatory Information

License to practice 3)

The skills and knowledge described in this unit do not require a licence to practise in the workplace. However, practice in this unit is subject to regulations directly related to Occupational Health and Safety and where applicable contracts of training such as apprenticeships and the like.

Pre-Requisites

Prerequisite Unit(s) 4)

Competencies 4.1)

Granting of competency in this unit shall be made only after competency in the following unit(s) has/have been confirmed.

Where pre-requisite pathways have been identified. All competencies in the Common Unit Group must be have been completed.

Common Unit Group

Unit Code	Unit Title
UEENEEG108A	Trouble-shoot and repair faults in low voltage electrical apparatus and circuits
UEENEEE101A	Apply Occupational Health Safety regulations, codes and practices in the workplace
UEENEEE102A	Fabricate, dismantle, assemble of utilities industry components
UEENEEE104A	Solve problems in d.c. circuits
UEENEEE105A	Fix and secure electrotechnology equipment
UEENEEE107A	Use drawings, diagrams, schedules, standards, cords and specifications
UEENEEG006A	Solve problems in single and three phase low voltage machines
UEENEEG033A	Solve problems in single and three phase low voltage electrical apparatus and circuits
UEENEEG063A	Arrange circuits, control and protection for general electrical installations
UEENEEG101A	Solve problems in electromagnetic devices and related circuits
UEENEEG102A	Solve problems in low voltage a.c.

Prerequisite Unit(s) 4)

circuits

UEENEEG106A Terminate cables, cords and accessories for low voltage circuits

Literacy and numeracy skills 4.2)

Participants are best equipped to achieve this unit if they have reading, writing and numeracy skills indicated by the following levels. A description of what each level entails is provided in Section 2.3.1 Language, Literacy and Numeracy.

Reading 3 Writing 3 Numeracy 3

Employability Skills Information**Employability Skills 5)**

The required outcomes described in this unit of competency contain applicable facets of Employability Skills. The Employability Skills Summary of the qualification in which this unit of competency is packaged will assist in identifying Employability Skill requirements.

Elements and Performance Criteria Pre-Content

6) Elements describe the essential outcomes of a competency standard unit

Performance Criteria describe the required performance needed to demonstrate achievement of the element. Assessment of performance is to be consistent with the Evidence Guide.

Elements and Performance Criteria

ELEMENT	PERFORMANCE CRITERIA
1 Plan and prepare for the work	1.1 Work requirements are identified from request/work orders or equivalent and clarified/confirmed with appropriate parties or by site inspection 1.2 Occupational Health and Safety standards, statutory requirements, relevant Australian standards, codes of practice, manufacturers' specifications, environmental requirements and enterprise procedures are identified, applied and monitored throughout the work procedure 1.3 Resources required to satisfy the work plan are identified, obtained and inspected for compliance with the job specifications 1.4 Relevant plans, drawings and texts are selected and interpreted in accordance with the work plan 1.5 Correct size, type and quantity of materials/components are determined, obtained and inspected for compliance with the job specifications 1.6 Work is planned in detail including sequencing and prioritising and considerations made, where appropriate, for the maintenance of plant security and capacity in accordance with system/site requirements 1.7 Coordination requirements, including requests for isolations where appropriate, are resolved with others involved, affected or required by the work 1.8 Potential hazards are identified and prevention and/or control measures are selected in accordance with the work plan and site procedures 1.9 Work area is prepared in accordance with work requirements and site procedures 1.10 Where appropriate, the teams and individuals roles and responsibilities within the team are

ELEMENT	PERFORMANCE CRITERIA
2 Maintain fixed fire protection systems	identified and, where required, assist in the provision of the on-the-job training
	2.1 Dismantling of necessary equipment is done in a manner that will facilitate reassembly in accordance with the work plan
	2.2 Faulty components are repaired/overhauled in accordance with the work plan and the system requirements
	2.3 Replacement items are inspected to confirm compliance with the system specifications
	2.4 Modifications/alterations are undertaken in accordance with the system requirements and the work plan
3 Conduct in service testing	2.5 Maintenance is performed in accordance with the work plan and system requirements
	3.1 In-service testing is carried out in accordance with the system requirements
	3.2 In-service testing is carried out in accordance with relevant statutory requirements
4 Complete the work	3.3 Abnormalities, faults and deviations from system specifications are logged and reported to appropriate personnel in accordance with statutory requirements and the work plan
	4.1 Work is completed and appropriate personnel notified in accordance with site/enterprise requirements
	4.2 Work area is cleared of waste, cleaned, restored and secured in accordance with site/enterprise procedures
	4.3 Plant, tools and equipment are maintained and stored in accordance with site/enterprise procedures
	4.4 Work completion details are finalised in accordance with site/enterprise procedures
	4.5 Work area is prepared in accordance with work

ELEMENT**PERFORMANCE CRITERIA**

requirements and site procedures

Required Skills and Knowledge

REQUIRED SKILLS AND KNOWLEDGE

8) This describes the essential skills and knowledge and their level, required for this unit.

Evidence shall show that knowledge has been acquired of maintaining and testing fixed fire protection system.

All knowledge and skills detailed in this unit should be contextualised to current industry practices and technologies.

The extent of the Essential Knowledge and Associated Skills required follows:

KS01-PM319B Fixed fire protection systems

T1 Evidence shall show that knowledge has been acquired for safe working practices of:

- Relevant Environmental, Occupational Health and Safety legislation and regulations
- Relevant plant and equipment, its location
- Technical drawings and manufacturers manuals
- Introduction to and typical arrangements of power production plant
- Measuring equipment
- Quality assurance/quality control
- Data recording techniques
- Hand and portable power tools
- Diagnostic and testing techniques
- Plant and systems
- Communication principles

T2 Specific skills needed to achieve the Performance Criteria:

- Apply Relevant Environmental, Occupational Health and Safety legislation and regulations
- Apply levelling and alignment techniques
- Interpret Technical drawings and manufacturers manuals
- Identify and use measuring equipment
- Use hand and portable power tools
- Use technical drawings and data
- Apply diagnostic and testing techniques
- Dismantle and reassemble components
- Communicate effectively.

Evidence Guide

EVIDENCE GUIDE

9) This provides essential advice for assessment of the competency standard unit and must be read in conjunction with the Performance Criteria and the range statement of the competency standard unit and the Training Package Assessment Guidelines. The Evidence Guide forms an integral part of this unit and shall be used in conjunction with all components parts of this unit and, performed in accordance with the Assessment Guidelines of this Training Package.

Overview of Assessment

9.1)

Longitude competency development approaches to assessment, such as Profiling, require data to be reliably gathered in a form that can be consistently interpreted over time. This approach is best utilised in Apprenticeship programs and reduces assessment intervention. It is the Industry preferred model for apprenticeships. However, where summative (or final) assessment is used it is to include the application of the competency in the normal work environment or in a realistically simulated work environment. It is recognised that, in some circumstances, assessment in part or full can occur outside the workplace; however, it must be in accord with Industry and regulatory policy.

Methods chosen for a particular assessment will be influenced by various factors. These include the extent of the assessment, the most effective locations for the assessment activities to take place, access to physical resources, additional safety measures that may be required and the critical nature of the competencies being assessed.

The critical safety nature of working with electricity, electrical equipment, gas or any other hazardous substance/material carries risk in deeming a person competent. Hence, sources of evidence need to be 'rich' in nature so as to minimise error in judgment. Activities associated with normal every day work have a bearing on the decision as to how much and how detailed the data gathered will contribute to its 'richness'. Some skills are more critical to safety and operational requirements while the same skills may be more or less frequently practised. These points are raised for the assessors to consider when choosing an assessment method and developing assessment instruments. Sample assessment instruments are included in the Assessment Guidelines of this Training Package.

**Critical aspects
of evidence
required to
demonstrate
competency in
this unit** 9.2)

Before the critical aspects of evidence are considered all pre-requisites shall be met.

Evidence for competence in this unit shall be considered holistically. Each element and associated Performance Criteria shall be demonstrated on at least two occasions in accordance with the “Assessment Guidelines – UEP12”. Evidence shall also comprise:

- A representative body of work performance demonstrated within the timeframes typically expected of the discipline, work function and industrial environment. In particular this shall incorporate evidence that shows a candidate is able to:
 - Implement Occupational Health and Safety workplace procedures and practices including the use of risk control measures as specified in the Performance Criteria and Range Statement
 - Apply sustainable energy principles and practices as specified in the Performance Criteria and Range Statement
 - Demonstrate an understanding of the essential knowledge and associated skills as described in 6) Essential Knowledge and Associated Skills of this unit
 - Demonstrate an appropriate level of employability skills
 - Conduct work observing the relevant Anti Discrimination legislation, regulations, policies and workplace procedures
- Demonstrated performance across a representative range of contexts from the prescribed items below:
 - The knowledge and application of relevant sections of: Occupational Health and Safety legislation; Statutory legislation; Enterprise/site safety procedures; Enterprise/site emergency procedures
 - Preparation and planning of work
 - Removal techniques
 - Maintenance techniques and procedures
 - Installation techniques and procedures
 - Completion of work procedures
 - In-service test procedures
 - Dealing with an unplanned event by drawing on essential

knowledge and skills to provide appropriate solutions incorporated in the holistic assessment with the above listed items

Context of and specific resources for assessment **9.3)**

This unit should be assessed as it relates to normal work practice using procedures, information and resources typical of a workplace. This should include:

- OHS policy and work procedures and instructions.
- Suitable work environment, facilities, equipment and materials to undertake actual work as prescribed by this unit.

Competency Standards should be assessed in the workplace or simulated workplace and under the normal range of workplace conditions.

Assessment of this unit will be supported with documentary evidence, by means of endorsement stating type and application of work.

In addition to the resources listed above in Context of assessment', evidence should show competency working, in limited spaces, with different types of plant and equipment as well as different structural/construction types and method and in a variety of environments.

Method of assessment **9.4)**

This unit shall be assessed by methods given in Section 1.3.00 Assessment Guidelines.

Note:

Competent performance with inherent safe working practices is expected in the Industry to which this unit applies. This requires that the specified essential knowledge and associated skills are assessed in a structured environment which is primarily intended for learning/assessment and incorporates all necessary equipment and facilities for learners to develop and demonstrate the essential knowledge and skills described in this unit.

**Concurrent
assessment and
relationship with
other units****9.5)**

There are no recommended concurrent assessments with this unit, however in some cases efficiencies may be gained in terms of learning and assessment effort being concurrently managed with allied competency standard units where listed.

Nil

Range Statement**RANGE STATEMENT**

10) This relates to the competency standard unit as a whole providing the range of contexts and conditions to which the Performance Criteria apply. It allows for different work environments and situations that will affect performance.

Details of maintenance may be diagnosis and in-service testing.

Maintenance may include repair, inspection, modification, overhaul, lubrication, servicing and test running.

Work completion details and plans may include plant and maintenance records, job cards, check sheets, on device labelling updates and reporting and/or documenting equipment defects.

Work site environment may be affected by nearby plant or processes, e.g. chemical, heat, dust, noise, gas and oil.

Isolations can refer to electrical/mechanical or other associated processes.

Generic terms are used throughout this Training Package for vocational standard shall be regarded as part of the Range Statement in which competency is demonstrated. The definition of these and other terms are given in Section 2.1.00 Preliminary Information and Glossaries.

Unit Sector(s)

Not applicable.

Competency Field**Competency Field** **11)**

Maintenance

