



Australian Government

Department of Education, Employment and Workplace Relations

UEPOPS514B Control hydro generation_pumping

Release: 1

UEPOPS514B Control hydro generation_pumping

Modification History

Not applicable.

Unit Descriptor

Unit Descriptor

1) Scope:

1.1) Descriptor

This unit deals with the skills and knowledge required to undertake remote control of hydro plant.

Application of the Unit

Application of the Unit 2)

This unit is intended to augment formally acquired competencies. It is suitable for employment-based programs under an approved contract of training.

Licensing/Regulatory Information

License to practice

3)

The skills and knowledge described in this unit do not require a licence to practise in the workplace. However, practice in this unit is subject to regulations directly related to Occupational Health and Safety and where applicable contracts of training such as apprenticeships and the like.

Pre-Requisites

Prerequisite Unit(s) 4)

Competencies 4.1)

Granting of competency in this unit shall be made only after competency in the following unit(s) has/have been confirmed.

Where pre-requisite pathways have been identified. All competencies in the Common Unit Group must be have been completed.

There are no pre-requisite units.

Literacy and numeracy skills 4.2)

Participants are best equipped to achieve this unit if they have reading, writing and numeracy skills indicated by the following levels. A description of what each level entails is provided in Section 2.3.1 Language, Literacy and Numeracy.

Reading 5 Writing 5 Numeracy 5

Employability Skills Information

Employability Skills 5)

The required outcomes described in this unit of competency contain applicable facets of Employability Skills. The Employability Skills Summary of the qualification in which this unit of competency is packaged will assist in identifying Employability Skill requirements.

Elements and Performance Criteria Pre-Content

6) Elements describe the essential outcomes of a competency standard unit

Performance Criteria describe the required performance needed to demonstrate achievement of the element.
Assessment of performance is to be consistent with the Evidence Guide.

Elements and Performance Criteria

ELEMENT	PERFORMANCE CRITERIA
1 Maintain key indicator limits	1.1 Pond levels, station discharges, machine voltage and current limits, frequency, time error (where applicable) are maintained in accordance with manufacturer's specifications and enterprise requirements
	1.2 Hydro plant is run at peak efficiency, or to the load schedule avoiding rough running zones in accordance with enterprise procedures
	1.3 Where appropriate, the teams and individuals roles and responsibilities within the team are identified and, where required, assist in the provision of the on-the-job training
2 Operate remote hydro plant	2.1 Machines are remotely stopped, started, loaded and unloaded in accordance with the operating regimes dictated by the generation schedule
	2.2 Plant is remotely switched in and out of synchronous condenser operation (where required) in accordance with system requirements
3 Maintain policy and procedure	3.1 Procedures to alert public of increased river flows are adhered to in accordance with site/enterprise procedures
	3.2 Minimum river flows are maintained in accordance with agreed limits
	3.3 Water storage levels are monitored and maintained in accordance with statutory or policy guidelines
4 Complete documentation	4.1 Documentation is updated, maintained and equipment problems, movements, abnormalities and status are reported and logged in accordance with enterprise/site procedures

Required Skills and Knowledge

REQUIRED SKILLS AND KNOWLEDGE

8) This describes the essential skills and knowledge and their level, required for this unit.

Evidence shall show that knowledge has been acquired controlling hydro generation / pumping.

All knowledge and skills detailed in this unit should be contextualised to current industry practices and technologies.

The extent of the Essential Knowledge and Associated Skills required follows:

KS01-PO514B Hydro generation/pumping

T1 Evidence shall show that knowledge has been acquired for safe working practices of:

- Relevant environmental, occupational health and safety legislation and regulations
- Enterprise procedures
- Plant drawings and manufacturers manuals
- Introduction to and typical arrangements of power production plant
- Relevant plant and equipment, its location and operating parameters
- Relevant state and territory regulations
- Electric motor types and characteristics
- Pump and compressor types and characteristics
- Valve, damper and actuator types and characteristics
- Switchgear types and characteristics
- Electrical protection types and characteristics
- Electrical principles
- Transformers types and characteristics
- Tail races, types and characteristics
- Dam, types and characteristics
- Principles of hydro electric generation
- Hydro turbine, types and characteristics
- Hydro turbine governor, types and characteristics
- Hydro generator types and characteristics
- Bypass and relief valves, types and characteristics
- Auxiliary plant, types and characteristics
- Equipment status
- Enterprise recording procedures
- Communication principles
- Computers and software

T2 Specific skills needed to achieve the performance criteria:

- Interpret plant drawings and manufacturers manuals
- Apply relevant state and territory regulations

REQUIRED SKILLS AND KNOWLEDGE

- Apply enterprise recording procedures
- Operate plant within design parameters
- Identify plant status
- Prepare plant/equipment for operation
- Communicate effectively
- Apply data analysis techniques and tools
- Recognise abnormal plant operating conditions
- Apply or determine appropriate corrective actions required
- Plan and prioritise work
- Interpret remote indication of plant status and condition

Evidence Guide

EVIDENCE GUIDE

9) This provides essential advice for assessment of the competency standard unit and must be read in conjunction with the Performance Criteria and the range statement of the competency standard unit and the Training Package Assessment Guidelines. The Evidence Guide forms an integral part of this Competency Standard Unit and shall be used in conjunction with all components parts of this unit and, performed in accordance with the Assessment Guidelines of this Training Package.

Overview of Assessment 9.1)

Longitude competency development approaches to assessment, such as Profiling, require data to be reliably gathered in a form that can be consistently interpreted over time. This approach is best utilised in Apprenticeship programs and reduces assessment intervention. It is the Industry's preferred model for apprenticeships. However, where summative (or final) assessment is used it is to include the application of the competency in the normal work environment or, at a minimum, the application of the competency in a realistically simulated work environment. It is recognised that, in some circumstances, assessment in part or full can occur outside the workplace. However, it must be in accord with Industry and regulatory policy.

Methods chosen for a particular assessment will be influenced by various factors. These include the extent of the assessment, the most effective locations for the assessment activities to take place, access to physical resources, additional safety measures that may be required and the critical nature of the competencies being

assessed.

The critical safety nature of working with electricity, electrical equipment, gas or any other hazardous substance/material carries risk in deeming a person competent. Hence, sources of evidence need to be 'rich' in nature so as to minimise error in judgment. Activities associated with normal every day work have a bearing on the decision as to how much and how detailed the data gathered will contribute to its 'richness'. Some skills are more critical to safety and operational requirements while the same skills may be more or less frequently practised. These points are raised for the assessors to consider when choosing an assessment method and developing assessment instruments. Sample assessment instruments are included in the Assessment Guidelines of this Training Package.

**Critical aspects
of evidence
required to
demonstrate
competency in
this unit**

9.2)

Before the critical aspects of evidence are considered all pre-requisites shall be met.

Evidence for competence in this unit shall be considered holistically. Each element and associated Performance Criteria shall be demonstrated on at least two occasions in accordance with the "Assessment Guidelines – UEP12". Evidence shall also comprise:

- A representative body of work performance demonstrated within the timeframes typically expected of the discipline, work function and industrial environment. In particular this shall incorporate evidence that shows a candidate is able to:
 - Implement Occupational Health and Safety workplace procedures and practices including the use of risk control measures as specified in the Performance Criteria and Range Statement
 - Apply sustainable energy principles and practices as specified in the Performance Criteria and Range Statement
 - Demonstrate an understanding of the essential knowledge and associated skills as described in 6) of this unit
 - Demonstrate an appropriate level of employability skills
 - Conduct work observing the relevant Anti Discrimination legislation, regulations, policies and workplace procedures
- Demonstrated performance across a representative range of

contexts from the prescribed items below:

- Knowledge and application of relevant sections of: OHS legislation; Statutory legislation; Enterprise/site safety procedures; Enterprise/site emergency procedures
- Knowledge of procedures that affect recreational, rural and commercial users of waterways and storages
- Operation of remote hydro plant
- Dealing with an unplanned event by drawing on Essential Knowledge and Skills to provide appropriate solutions incorporated in the holistic assessment with the above listed items.

**Context of and
specific
resources for
assessment** **9.3)**

This unit should be assessed as it relates to normal work practice using procedures, information and resources typical of a workplace. This should include:

- OHS policy and work procedures and instructions
- Suitable work environment, facilities, equipment and materials to undertake actual work as prescribed by this competency standard unit.

Competency Standards should be assessed in the workplace or simulated workplace and under the normal range of workplace conditions.

Assessment of this unit will be supported with documentary evidence, by means of endorsement stating type and application of work.

In addition to the resources listed above in Context of assessment', evidence should show competency working, in limited spaces, with different types of plant and equipment as well as different structural/construction types and methods and in a variety of environments.

**Method of
assessment** **9.4)**

This unit shall be assessed by methods given in Section 1.3.00 Assessment Guidelines.

Note:

Competent performance with inherent safe working practices is expected in the Industry to which this unit applies. This requires

that the specified essential knowledge and associated skills are assessed in a structured environment which is primarily intended for learning/assessment and incorporates all necessary equipment and facilities for learners to develop and demonstrate the Essential Knowledge and Skills described in this unit.

**Concurrent
assessment and
relationship with
other units** **9.5)**

There are no recommended concurrent assessments with this unit, however in some cases efficiencies may be gained in terms of learning and assessment effort being concurrently managed with allied competency standard units where listed
Nil

Range Statement

RANGE STATEMENT

10) This relates to the competency standard unit as a whole providing the range of contexts and conditions to which the Performance Criteria apply. It allows for different work environments and situations that will affect performance.

Safety standards may include relevant sections of Occupational Health and Safety legislation, enterprise safety rules, relevant state and federal legislation and national standards for plant

Information and documentation sources may include verbal or written communications; enterprise safety rules documentation; enterprise operating instructions; dedicated computer equipment; enterprise/site standing and operating instructions; enterprise log books; manufacturer's operation and maintenance manuals; and equipment and alarm manuals

Communications may be by means of telephone, two way radio, pager, computer (electronic mail) and operating logs (written or verbal)

Appropriate personnel for consultation, to give or receive direction may include supervisor/team leader or equivalent, power plant operations personnel or equivalent, technical and engineering officers or equivalent, maintenance staff, other operating staff or equivalent, system controller/network controller, field operator and restricted H.V. operators

Operating environment may be remote from plant and equipment being operated and operation is assisted by remote indicators of plant status and other parameters monitored

Generic terms are used throughout this Training Package for vocational standard shall be regarded as part of the Range Statement in which competency is demonstrated. The definition of these and other terms are given in Section 2.1 Preliminary Information and Glossaries.

Unit Sector(s)

Not applicable.

Competency Field

Competency Field **11)**

Operations.